Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



HARDY PERENVIALS



for the
OLD ~ FASHIONED GARDEN
with special lists of
PHLOX-IRIS-PEONIES-CHRYSANTHEMUMS

ANDORRA NURSERIES

WM. WARNER HARPER Proprietor

CHESTNUT HILL PHILADELPHIA

Andorra Nurseries

CHETSNUT HILL PHILADELPHIA, PA.

Our Nurseries are extensive, covering six hundred acres, of which over three hundred and fifty are planted with trees and branches of the Pennsylvania and the Philadelphia and Reading railroads, and the Chestnut Hill (City Line) trolley runs from the stations to within three minutes' walk of the Nurseries.

Quality. The plants offered on the following pages are first-class in every respect. The lists have been carefully compiled and the varieties offered are the choice of large collections.

PLEASE READ CAREFULLY

SHIPPING SEASONS—Spring. From the time frost leaves the ground, about March 1, until the plants commence active growth, about the end of May. **Summer.** We carry many varieties in pots and can lift others with good clumps, thus meeting the demand for midseason planting. **Autumn.** From August 15 until stopped by the freezing of the ground. We usually ship until November.

How to Ship.—We advise all shipments of Herbaceous plants to be by express, but will ship as customer may direct. We have Adams and U. S. express direct from here.

Packing.—Special care is taken in preparing Herbaceous stock for shipment, so that goods may be sent any distance with perfect safety.

Packing Charges are made at actual cost, except when cash accompanies orders, when goods are packed free as a cash discount.

Orders.—Write plainly and give explicit directions as to the address and mode of shipment; otherwise we will forward according to our best judgment. Orders will be filled for any amount. Small orders receive careful attention.

Risk.—All goods are at purchaser's risk after they are delivered to the forwarding companies, and we receive their receipt for the shipment in good condition.

Guarantee.—All stock is guaranteed true to name and in good condition when shipped. Any plant proving untrue to name will be replaced.

We give no guarantee of the life of stock, and can not entertain claims for such losses.

Claims, to receive consideration, must be made within **five days** after receipt of goods. Claims for damage in transit must be made to the company delivering the goods, and should be presented to them promptly. **Be sure** to have the delivering agent note on your receipt the condition of the goods when delivered to you.

Terms, Cash with Order, except to such persons as satisfy us as to their responsibility.

Address all orders to

ANDORRA NURSERIES

Local and Long
Distance Telephone

WM. WARNER HARPER, Prop. CHESTNUT HILL, PHILADELPHIA, PA.

Telegraphic Address
CHESTNUT HILL, PHILADELPHIA "ANDORRA," PHILADELPHIA



A part of the Herbaceous plantings at Andorra

HERBACEOUS PLANTS



HE rightful home of these plants is in the old-fashioned garden, the wild garden or the shrubbery border. There is no greater satisfaction to one who really loves his garden than to watch some last year's favorite come up in its accustomed place when spring approaches, like the wildwood

flowers that return to us with every season and require no hand to plant or tend them. We offer the best and most easily grown varieties, suitable for any location, not only for garden work, but for planting along the borders of woods, in boggy land, in rockery work, and as a ground cover for bare spaces under trees where grass will not grow. These lists will aid in the selection of proper varieties for any special purpose and enable one to have a succession of bloom in the borders and shrubbery beds from spring until late Autumn.

Size of Plants. We aim to send out only extra-strong plants of the different sorts,—plants that will give a fair return of bloom the first season. These cost but little more than the small plants so widely offered, and our customers find it more satisfactory to use Andorra-grown stock, which gives results. It has been well said, "The lowest prices are not always the cheapest, as cheapness does not consist in what you pay, but in what you get for what you pay."

Planting Perennials. The first thing to be considered is the proper preparation of the soil. The beds, enriched with well-rotted manure, should be dug deep, especially if there is a clay bottom, which should be broken through to give the bed proper drainage and permit deep rooting of the plants, so that they will withstand the drought of summer. If planted in dry weather, they should be well watered, and throughout the summer the surface of the beds thoroughly cultivated to keep down the weeds and conserve the moisture. All plants having weak stems should be staked to keep them in their natural position, and as soon as the individual flowers are passed they should be cut off to allow the strength of the plant to go toward forming other flowers instead of seed. This will prolong the period of bloom. In the fall cut all plants, except those which are evergreen, to within six inches of the ground, and cover the beds with long manure. In the spring the long, strawy part of the manure should be removed and the short litter that remains be forked into the beds, to enrich them and aid the soil to retain moist ure. A garden-fork should be used in working the beds after planting. Be careful not to disturb the roots, or loosen the shallow-rooting plants.

The Dates of Blooming are based on an average season at Philadelphia. Very early or late seasons, a long period of excessive moisture or of drought, will make some change in these dates. They also vary in localities further north

or south, being later in the former and earlier in the latter.

MARCH AND APRIL

THILE the year's bloom begins in February, with the Helleborus, March and April are the earliest months in which we get any quantity of garden bloom. The old maxim, "April showers bring May flowers," does not give April credit for her own bright blossoms. March opens the season for us with hardy bloom for the house and garden, and through the following month of April we get a good selection. The following is a choice list: 9 in. \$0 50 \$4 50 I 50 Arabis alpina (Rock-cress). White.....4 to 6 in. I 50 Aubretia Hendersoni (False Wall Cress). Purplish 4 in. violet I 50 Doronicum Austriacum (Leopard's Bane). Yellow... 2 50 2 ft. 35 excelsum (Leopard's Bane). Yellow 2 ft. 35 2 50 3 00 Helleborus niger (Christmas Rose). White..... 6 in. 35 niger, var. atrorubens. Purple 6 to 9 in. 3 00 35 Hepatica triloba (Liver Leaf). White and blue...... 6 in. 25 I 25 Iris cristata. Blue, spotted yellow..... 6 in. I 50 Primula capitata (Primrose). Deep lilac 9 in. 25 I 50 25 I 50 erectum (Wake-robin). Purple...... 9 to 12 in. I 50 10 of the above assortment, in 10 varieties, our selection......\$2 00 50 of the above assortment, in 10 varieties, our selection....... 6 50 100 of the above assortment, in 10 varieties, our selection 12 50



Anemone Pennsylvanica at Andorra

MAY

May adds a wealth of flowers to April's rather short list, and it is well so, as in this month we must depend entirely on our hardy garden plants to furnish the blossoms for the house or garden. Early in this month that grand family of perennials, the Peony, gives its first flowers, and they continue throughout the month, and long into June. (See special Peony list.) The following assortment covers every garden requisite for May bloom.

Each Per 10

Alyssum saxatile, var. compactum (Golden Tuft).			
Yellow	ı ft.	\$0 25	\$1.50
Anemone Pennsylvanica (Wind-flower). White to	2 ft.	25	2 00
Pulsatilla (Pasque-flower). Violet-purple	9 in.		I 50
sylvestris. Pure white12 to	18 in.		1 50
Anthericum Liliago (St. Bernard's Lily). White		25	2 00
Aquilegias (Columbine) in variety. White to blue. 11/2 to 2	½ ft.	25	2 00
Astilbe Japonica (Spirea). White15 to	18 in.	25	I 50
Bellis perennis (English Daisy). White and pink6 to	8 in.	25	1 50
Convallaria majalis (Lily-of-the-Valley). White6 to	9 in.	25	2 00
Dianthus barbatus (Sweet William). Mixed colors1½ to	2 ft.	25	I 50
Dicentra spectabilis (Bleeding Heart). Pink1½ to	2 ft.	25	2 00
Doronicum excelsum (Leopard's Bane). Yellow	2 ft.	35	2 50
Epimedium lilacea (Barrenwort). Lilac	ı ft.	25	2 00
coccineum. Scarlet	6 in.	25	2 00
macranthum. Double white	6 in.	25	2 00
sulphureum. Pale yellow	6 in.	25	2 00
Geum coccineum (Avens). Scarlet	18 in.	25	I 50

Andorra Nurseries, Chestnut Hill, Philadelphia

	ach	Per 10
Iberis sempervirens (Candytuft). White to 8 in. \$0	25	\$1 50
Iris Germanica in variety All colors 1½ to 2½ ft.	25	I 50
pumila, var. alba. White8 to 10 in.	25	2 00
Mertensia pulmonarioides (Blue Bells). Light blue18 to 24 in.	25	I 50
Myosotis palustris (Forget-me-not). Light bluespreading	25	I 50
alpestris, var. Victoria. Light blue 6 to 9 in.	25	I 50
Nepeta Glechoma variegata (Ground Ivy). Light pur-		
plespreading	25	I 50
Paeonia Chinensis (Peony). White to maroon. See,		
also, Special List 2 to 4 ft.	35	3 00
officinalis. White, pink, crimson. Early12 to 18 in.	50	4 00
tenuifolia fl. pl. Crimson	50	4 00
triternata. The earliest. Single Red 18 in.	35	3 00
Phlox ameena. Bright pink 3 to 4 in.	25	1 50
Carolina. Rosy red	25	1 50
divaricata (Wild Sweet William). Lavender 1 ft.	25	I 50
lilacena. Lilaccreeping	25	1 50
subulata (Mountain Pink). Rosecreeping	25	I 50
subulata alba. Whitecreeping	25	I 50
Polemonium cœruleum (Jacob's Ladder). Blue1½ to 2 ft.	25	2 00
cœruleum, var. album. White1½ to 2 ft.	25	2 00
Primula veris (Polyanthus). Yellow, orange, crimson6 to 9 in.	25	1 50
Trollius Europæus (Globe Flower). Glossy yellow 2 ft.	25	1 50
Vinca minor (Periwinkle). Bluecreeping	25	I 50
Viola pedata bicolor (Bird's-foot Violet). Purple and		
white 4 in.	25	1 50
10 of the above assortment, in 10 varieties, our selection		\$2 00
50 of the above assortment, in 10 varieties, our selection		
100 of the above assortment, in 10 varieties, our selection		
100 of the above assortment, in 25 varieties, our selection		



Iris Pseudacoris in a planting at Andorra

JUNE

JUNE, the Month of Roses, would be sadly deficient in flowers were it not for the perennials, and this month might well be called the month of Peonies, for they are sturdy rivals of the Queen of Flowers, useful alike for the decorative effect in the garden or for cutting. Another close rival of both the Peony and the Rose is the gorgeous Japanese Iris, which comes to us late in this month, and continues well on through July, giving a full range of color from white to crimson and from porcelain to the deepest blues. At this season also, the early varieties of Phlox add a strong color-note to the garden. All in all, it is a month crowded with a wealth of flower.

I	Each	Per 10
Achillea tomentosa (Woolly Yarrow). Bright yellow. 9 to 12 in. \$	0 25	\$2 00
Anthemis tinctoria (Chamomile). Yellow	25	1 50
Aquilegias, in variety. White, yellow, blue 1½ to 2½ ft.	25	2 00
Arenaria grandiflora (Sandwort). White 6 in.	25	1 50
Armeria maritima (Thrift). Rosy purple 6 to 9 in.	25	I 50
Aster alpinus (Alpine Aster). Purple6 to 9 in.	25	1 50
Astilbe Japonica (Spirea). White	25	1 50
Baptisia Australis (False Indigo). Blue 2 ft.	25	1 50
tinctoria. Yellow	25	1 50
Bellis perennis (English Daisy). White and pink6 to 8 in.	25	1 50
Colimeris incisa (Starwort). Layender-blue 1½ to 2 ft.	25	1 50
Callirhoe involucrata (Poppy Mallow). Rosy crimson. spreading	25	1 50
Campanula alliariæfolia (Bellflower). White 2 ft.	25	·I 50
Carpatica (The Harebell). Deep blue 9 in.	25	1 50
Carpatica alba. White 9 in.	25	1 50
Medium (Canterbury Bells). White, rose, blue 2 ft.	25	I 50
persicifolia (Peach Bells). Blue	25	I 50
persicifolia, var. alba. White	25	1 50
Cerastium tomentosum (Snow-in-Summer). Whitespreading	25	1 50
Chrysognum Virginianum (Golden Joint). Yellow 1 ft.	25	I 50
Clematis recta (Upright Virgin's Bower). White2 to 3 ft.	25	2 00
Coreopsis lanceolata (Tickseed). Yellow	25	1 50
Coronilla varia (Crown Vetch). Bright pink 1½ to 2 ft.	25	1 50
Delphinium formosum (Larkspur). Deep blue3 to 4 ft.	25	1 50
Dianthus latifolius. Shades of red	25	1 50
plumarius (Hardy Pinks). White to crimson9 to 12 in.	25	2 00
Dicentra eximia. White and pink12 to 15 in.	25	2 00
spectabilis (Bleeding Heart). Pink	25	2 00
Dictamnus fraxinella (Gas Plant). Rosy purple2 to 3 ft.	35	2 50
fraxinella alba. White	35	2 50
Digitalis purpurea (Foxglove). White and purple3 to 4 ft. Erigeron speciosus (Fleabane). Violet-blue 1½ ft.	25	1 50
Erigeron speciosus (Fleabane). Violet-biue 1½ ft. Gaillardia grandiflora (Blanket-Flower. Yellow and	25	2 00
maroon	25	T 50
Geranium sanguineum (Cranesbill). Red 1½ ft.	25 25	I 50 I 50
Geum coccineum (Avens). Scarlet	25 25	2 00
Heldrechi. Orange12 to 18 in.	25 25	2 00
Gillenia trifoliata (Bowman's Root). Rose and white 3 ft.	35	2 50
Helenium Hoopesi (Sneezewort). Orange-yellow2 to 3 ft.	25	2 00
Heliopsis Pitcheriana (Orange Sunflower). Yellow3 to 4 ft.	25	1 50
Hemerocallis Dumortierii (Yellow Day Lily). Orange-	23	* 55
yellow	25	1 50
Flava. Yellow 2 ft.	25	1 50
Iberis sempervirens (Candytuft). White	25	1 50
Incarvillea Delavayi (Hardy Gloxinia). Deep rose. 18 to 24 in.	35	2 50
	00	- 0-

		_
	Each	Per 10
Iris Germanica (German Iris). All colors1½ to 2½ ft.	\$0 25	\$1 50
lævigata (Japanese Iris). All colors but yellow 2½ to 4 ft.	35	3 00
pallida dalmatica. Light blue 3 ft.	35	3 00
pallida speciosa. Indigo-blue to 3 ft.	35	3 00
Pseudacoris (Yellow Iris). Yellow to 3 ft.	25	2 00
Sibirica (Siberian Iris). Bright blue 1½ ft.	25	1 50
Sibirica alba. White 1½ ft.		
Sibirica, var. orientalis. Deep blue 1½ ft.	35	3 00
	25	1 50
Lychnis coronaria (Rose Campion). Crimson1½ to 2 ft.	25	1 50
Flos-cuculi, var. plenissima. Rose color 1½ ft.	25	2 00
Haageana. Scarlet and orange	25	I 50
Lychnis viscaria splendens fl. pl. (German Catch-Fly).		
Rose-pink 1½ ft.	25	2 00
Lysimachia nummularia (Moneywort). Yellow creeping	25	I 50
punctata. Yellow 12 to 18 in.		I 50
Myosotis palustris (Forget-me-not). Light bluespreading	25	I 50
alpestris, var. Victoria. Light blue 9 to 12 in.		I 50
Oenothera fruticosa, var. Youngii. Lemon-yellow. 1½ to 2 ft.		
angeloge (White Drimmers) White	25	1 50
speciosa (White Primrose). White 1½ ft.	25	1 50
Missouriensis. Yellow Ift.	25	2 00
Fraseri. Rich yellow	25	2 00
Paeonia Chinensis, in variety. White to maroon2 to 4 ft.	35	3 00
Papaver nudicaule (Iceland Poppy). White, yellow		
and orange I ft.	25	I 50
orientale (Oriental Poppy). Orange to scarlet 3 ft.	25	2 00
Pentstemon lævigatus, var. Digitalis (Beard-tongue).	0	
White 2 to 3 ft.	25	2 00
ovatus. Blue 2 to 3 ft.	-	2 00
Phlox divaricata (Wild Sweet William). Lavender 1 ft.	25	
	25	1 50
subulata (Mountain Pink). Rosecreeping	25	1 50
subulata alba. Whitecreeping	25	1 50
Polemonium cœruleum (Jacob's Ladder). Blue1½ to 2 ft.	25	2 00
cœruleum, var. album. White	25	2 00
Pyrethrum roseum. White, pink and red 1½ to 2 ft.	25	I 50
roseum fl. pl., named varieties1½ to 2 ft.	35	3 00
Ranunculus acris fl. pl. (Yellow Bachelor's Buttons). 2 ft.	25	I 50
aconitifolius fl. pl. (Crow's-foot). White1½ to 2 ft.	25	I 50
Salvia pratensis (Meadow Sage). Deep blue	25	I 50
Scabiosa Caucasica (Blue Bonnet). Lavender-blue15 to 18 in.	35	2 50
Scabiosa Caucasica (Blue Bonnet). Lavender-blue15 to 18 in. Sedum sexangulare (Stonecrop). Yellowcreeping Spiraea Aruncus (Meadow-sweet). White	25	1 50
Spiraca Aruncus (Meadow-sweet) White 4 to 5 ft	25	2 00
filipendula fl. pl. White	25	2 00
palmata. Deep crimson		2 00
palmata. Deep clinison	25	
palmata, var. elegans. White 3 ft.	25	2 00
Ulmaria. White	25	2 00
Thalictrum adiantifolium (Meadow Rue). Yellow 18 in.	25	1 50
aquilegifolium (Feathered Columbine). White2 to 4 ft.	25	1 50
polygamum (Tall Rue). White3 to 4 ft.	25	1 50
Thermopsis Caroliniana. Yellow 3 to 4 ft.	25	I 50
Trollius Europæus (Globe Flower). Yellow1½ to 2 ft.	25	I 50
Veronica rupestris (Rock Speedwell). Bluespreading	25	I 50
spicata (Speedwell). Blue 1 ft.	25	1 50
spicata alba. White 1 ft.	25	1 50
spicata rosea. Rose	25	1 50
10 of the above assortment, in 10 varieties, our selection		
50 of the above assortment, in 10 varieties, our selection		6 50
100 of the above assortment, in 10 varieties, our selection		
100 of the above assortment, in 25 varieties, our selection		15 00



Digitalis and Dianthus barbatus

JULY

JULY finds us at the height of the garden season. Perennials in endless variety make it an easy matter to find enough for every purpose. The wonderful masses of color produced by the hardy Phlox are now strong points in the border and afford an excellent amount of cut bloom. The Hollyhocks (Althæa rosea) make a grand afford throughout this month with a full range of colors—white, shades of yellow, and all shades of red from the palest rose to deep maroon.

Each Per 10

maroon.	Each	Per 10
Achillea filipendulina (Noble Yarrow). Yellow2 to 21/2 ft.	\$0 25	\$1 50
millefolium, var. roseum (Rosy Milfoil). Bright		
pink	25	1 50
Ptarmica, var. The Pearl. White	25	I 50
tomentosum (Woolly Yarrow). Bright yellow9 to 12 in.	25	2 00
Althaea rosea (Hollyhocks). All colors4 to 6 ft.	25	1 50
Anthemis tinctoria (Chamomile). Yellow	25	I 50
Baptisia Australis (False Indigo). Blue 2 ft.	25	1 50
tinctoria. Yellow	25	I 50
Belemcanda Chinensis; syn., Pardanthus (Blackberry		
Lily). Orange, spotted red3 to 4 ft.	25	I 50
Calimeris incisa (Starwort). Lavender-blue 1½ to 2 ft.	25	I 50
Callirhoe involucrata (Poppy Mallow). Rosy crimson, spreading	25	1 50
Campanula Carpatica (the Harebell). Deep blue 9 in.	25	1 50
Carpatica alba. White 9 in.	25	1 50
glomerata, var. Dahurica alba (Clustered Bell-		
flower). White 2 ft.	25	I 50
persicifolia (Peach Bells). Blue	25	I 50
persicifolia, var. alba. white	25	I 50
Trachelium fl. pl. (Coventry Bells). Deep purple2 to 3 ft.	25	1 50

	Each	Per 10
Centaurea montana (Perennial Cornflower). In va-		
riety; white, lilac and purple	\$0 25	\$1 50
Chrysanthemum (Improved Shasta Daisies). White 2 ft.	35	2 50
maximum, var. Triumph (Moonpenny Daisy).		
White	25	I 50
	25	1 50
	25	I 50
Coreopsis lanceolata (Tickseed). Vellow	25 25	2 00
Coronilla varia (Crown Vetch). Bright pink	25 25	I 50 I 50
Delphinium Belladonna (Larkspur) Sky blue	35	2 50
Chinensis. White and blue	25	I 50
Chinensis. White and blue 12 to 18 in. formosum. Deep blue 3 to 4 ft.	25	I 50
Dictamnus traxinella (Gas Plant). Rosy purple 2 to 3 ft.	35	2 50
fraxinella alba. White 2 to 3 ft.	35	2 50
Digitalis ambigua. Yellow	25	2 00
lanata. Grayish yellow	25	2 00
purpurea (Foxglove). Different colors	25	1 50
Echinacea purpurea (Purple Cone-flower). Purple 3 ft.	25	2 00
Eryngium Amethystinus (Sea Holly). Amethyst-blue. 2 ft. Euphorbia corollata (Spurge). White 1½ ft.	35	2 50
Funkia Fortunei (Plantain Lily). Lavender, violet 2 ft.	25	1 50
ovata. Blue	25 25	I 50 I 50
undulata media picta variegata. Pale lilac 2 ft.	25	I 50
Gaillardia grandiflora (Blanket-flower). Yellow and	-3	1 50
maroon	25	1 50
Geranium sanguineum (Cranesbill). Red 1½ ft.	25	I 50
Gypsophila paniculata (Baby's Breath). White to 3 ft.	25	I 50
	25	I 50
repens rosea. Rosecreeping Helianthus multiflorus fl. pl. (Sunflower). Double yel-	Ü	
low	25	I 50
Heliopsis Pitcheriana (Orange Sunflower). Yellow2 to 4 ft.	25	1 50
Hemerocallis Dumortierii (Yellow Day Lily). Orange-		
yellow 2 ft.	25	I 50
fulva. Deep tawny yellow	25	I 50
fulva, var. Kwanso. Double orange-yellow2½ to 3 ft.	25	1 50
aurantiaca major. Orange	25	1 50
Heuchera sanguinea (Alum-root). Coral-red 18 in.	25	2 00
sanguinea alba. White	25	2 00
Inula ensifolia (Fleabane). Yellow	25	1 50
Iris lævigata, in variety (Japanese Iris). All colors but yellow	25	2 00
Lavendula vera (Lavender). Lavender15 to 18 in.	35 25	3 00 1 50
spica. Lavender15 to 18 in.	25	I 50
Lychnis Chalcedonica (London Pride). Vermilion-	23	1 30
scarlet2 to 3 ft.	25	1 50
coronaria (Rose Campion). Crimson1½ to 2 ft.	25	I 50
Lychnis Haageana. Scarlet and orange 1½ ft.	25	1 50
Flos-cuculi, var. plenissima. Rose	25	2 00
vespertina alba plena. White	35	2 50
Lysimachia clethroides (Loose-strife). White15 to 18 in. nummularia (Moneywort). Yellowcreeping	25	1 50
nummularia (Moneywort). Yellowcreeping	25	1 50
punctata. Yellow12 to 18 in.	25	1 50
Lythrum Salicaria (Spiked Loose-strife). Pink 3 ft.	25	1 50
Monarda didyma rosea (Bee Balm). Deep rose2 to 3 tt.	25	1 50
didyma splendens. Crimson-scarlet 2 It.	25	1 50
didyma, Cambridge Scarlet. Scarlet 2 to 3 ft.	25	1 50



Trillium grandiflorum

Each	Per 10
Oenothera fruticosa, var. major. Yellow	\$2 00
Missouriensis. Yellow. Large bloom 1 ft. 25	2 00
speciosa (White Evening Primrose). Rosy white 1½ ft. 25	2 00
Papaver nudicaule (Iceland Poppy). White, rose and	
orange I ft- 25	1 50
orange	I 50
grandiflorus. Rosy purple	I 50
lævigatus, var. Digitalis. White 2 to 3 ft. 25	2 00
ovatus. Blue	2 00
Phlox paniculata (Hardy Phlox). White to crimson2 to 5 ft. 25	2 00
Platycodon grandiflora (Balloon Flower). Blue, white. 1½ ft. 25	I 50
Pyrethrum roseum. White, pink and red	I 50
roseum fl. pl., named varieties. White, pink, red. 1½ to 2 ft. 35	3 00
Scabiosa Caucasica (Blue Bonnet). Lavender-blue15 to 18 in. 35	2 50
Sedum album (Stonecrop). White 6 in. 25	1 50
acre (Wall Pepper). Yellow	1 50
sexangulare (Stonecrop). Yellowcreeping 25	1 50
telephioides (Wild Orpine). Pink 1 ft. 25	1 50
Spiraea Aruncus. White4 to 5 ft. 25	2 00
filipendula fl. pl. White	2 00
palmata (Meadow Sweet). Deep crimson2 to 3 ft. 25	2 00
palmata, var. elegans. White, with crimson anthers. 3 ft. 25	2 00
lobata. Pink	2 00
ulmaria. White	2 00
venusta. Deep pink	2 00
Stachys Betonica (Betony). Rosy pink	1 50
Statice latifolia (Great Sea Lavender). Deep blue 2 ft. 25	1 50
Tatarica (Sea Lavender). Red	1 50
Stokesia cyanea (Stoke's Aster). Lavender15 to 18 in. 25	2 00
cyanea alba. White	3 50
Tradescantia Virginica (Spiderwort). Purple1½ to 2 ft. Virginica alba. White	1 50
Virginica alba. White	2 50
Veronica longifolia rosea (Speedwell). Rose 1½ ft. 25	1 50
rupestris (Rock Speedwell). Bluespreading 25	1 50
spicata (Speedwell). Blue	1 50
spicata alba. White 1 ft. 25	1 50
10 of the above assortment, in 10 varieties, our selection	
50 of the above assortment, in 10 varieties, our selection	6 50
100 of the above assortment, in 10 varieties, our selection	
100 of the above assortment, in 25 varieties, our selection	19 00




A part of the Phlox paniculata plantings at Andorra

AUGUST

A UGUST, the last of the summer months, still finds the gardens bright with blossoms. Of the Phloxes that have done so well through the season, the later varieties are now of double value, furnishing an almost endless amount of cut bloom, while the Chrysanthemum maximum, Coreopsis, Gaillardia and the Helianthus add to the abundance of cut flowers. Nor must we forget the dainty Achillea, so useful for bouquets, or the delicate Stokesia, so necessary for table decoration.

Achillea millefolium, var. roseum (Rosy Milfoit).			
Bright pink	in. \$0 25	\$1	50
Ptarmica, var. The Pearl. White			50
Althaea rosea (Hollyhocks). All colors4 to 6			50
	ft. 25		50
	ft. 25		50
Aster Amellus elegans. Blue 1½			50
Bocconia cordata (Plume Poppy). White4 to 6			50
	ft. 25	I	50
	ft. 25		50
Callirhoe involucrata (Poppy Mallow). Rosy crimson spreading	ıg 25	I	50
	in. 25	I	50
glomerata Dahurica, var. alba (Clustered Bell-			
	ft. 25	I	50
	ft. 35	2	50
maximum, var. Triumph (Moonpenny Daisy).			
White	ft. 25	I	50
Leucanthemum hybridum. White1½ to 2	ft. 25	I	50
Cimicifuga Dahurica (Bugbane). White 2 to 3	ft. 35	2	50
Clematis Davidiana (Shrub Clematis). Lavender-blue.2 to 3		1	50

Coreopsis lanceolata (Tickseed). Yellow1½ to 2 ft. Delphinium Chinense(Chinese Larkspur). White and	Each \$0 25	Per 10 \$1 50
blue 18 in.	25	1 50
Echinacea purpurea (Purple Cone-flower). Purple 3 ft.	25	2 00
Eryngium amethystinum (Sea Holly). Amethyst-blue 2 ft. Funkia Fortunei (Plantain Lily). Lavender, violet 2 ft.	35 25	2 50 1 50
undulata media picta variegata. Pale lilac 2 ft.	25 25	I 50
ovata. Blue	25	1 50
Gaillardia grandiflora (Blanket-Flower). Yellow and		
maroon	25 25	I 50 I 50
officinalis, var. alba. White	25 25	1 50
Helenium pumilum (Sneezewort). Yellow 18 in.	25	1 50
autumnale superbum. Yellow4 to 5 ft.	25	1 50
grandicephalum striatum. Orange, striped crimson 3 to 4 ft. Helianthus doronicoides (Hardy Sunflower). Yellow 4 to 5 ft.	25 25	I 50 I 50
giganteus Vellow	25 25	1 50
mollis. Yellow 3 to 4 ft.	25	1 50
multiflorus fl. pl. Double yellow	25	1 50
multiflorus, var. maximus. Yellow	25 25	I 50 I 50
Heuchera sanguinea (Alum-root). Coral-red 18 in.	25 25	2 00
sanguinea alba. White 18 in.	25	2 00
Hibiscus Moscheutos, var. Crimson Eye (Mallow).		
White, crimson eye	25	1 50
Lavendula vera (Lavender). Lavender	35 25	2 50 1 50
spica. Lavender 15 to 18 in.	25	1 50
Liastris graminifolia (Blazing Star). Rosy purple 1 1/2 to 2 ft.	25	1 50
spicata (Gay Feather). Deep purple3 to 4 ft.	25	1 50
Lobelia cardinalis (Cardinal Flower). Scarlet2 to 3 ft. Monarda didyma rosea (Bee Balm). Deep rose2 to 3 ft.	25 25	I 50 I 50
didyma splendens. Crimson-scarlet 2 ft.	25 25	1 50
didyma, Cambridge Scarlet. Scarlet	25	1 50
Phlox paniculata (Hardy Phlox). All colors but yellow. 2 to 5 ft.	25	2 00
Physostegia Virginiana (False Dragonhead). Deep rose. 3 ft. Virginiana alba. White	25	1 50
Virginiana alba. White	25	1 50
white 1½ ft.	25	1 50
Rudbeckia nitida (Coneflower). Pale yellow 5 to 6 ft.	25	1 50
laciniata (Golden Glow). Double yellow	25	1 50
Newmani. Yellow, purple cone	25 25	I 50 I 50
Statice Tatarica (Sea Lavender). Red	25	1 50
latifolia (Great Sea Lavender). Deep blue 2 ft.	25	1 50
Stokesia cyanea (Stokes' Aster). Lavender15 to 18 in.	25	2 00
cyanea alba. White		3 50 2 00
Vernonia Arkansana (Ironweed). Red	25 25	2 00
Veronica longifolia rosea (Speedwell). Rose 1½ ft.	25	1 50
longifolia subsessilis. Deep blue 1½ to 2 ft. spicata (Speedwell). Blue 1 ft.	25	2 00
spicata (Speedwell). Blue	25	1 50
spicata, var. alba. White	25 25	1 50 1 50
•	-	_
10 of the above assortment, in 10 varieties, our selection 50 of the above assortment, in 10 varieties, our selection 100 of the above assortment, in 10 varieties, our selection		6 50
100 of the above assortment, in 25 varieties, our selection		



Stokesia cyanea

SEPTEMBER

TALL has its own flora, and it quite equals the other seasons.

Though its colors are more sober, its autumnal tints are made to harmonize with the fall colors of the trees and shrubs. Many of the late summer flowers are still doing well, and the soft rich tints of the Hardy Asters impart a new richness to the border.

1	E	ach	Per 10
Achillea millefolium, var. roseum (Rosy Milfoil).			
Bright pink15 to	18 in. \$0	25	\$1 50
Ptarmica, var. The Pearl. White 1½ to	2 ft. "	25	″I 50
Aconitum autumnale (Monkshood). Lilac	4 ft.	35	2 50
autumnale Fisheri. Blue2 to	3 ft.	35	2 50
Napellus. Blue	3 ft.	35	2 50
Napellus bicolor. Blue and white	3 ft.	35	2 50
Napellus album. White	3 ft.	35	2 50
Pyrenaicum. Yellow	3 ft.	35	2 50
Anthemis tinctoria (Chamomile). Yellow	2 ft.	25	I 50
	½ ft.	25	I 50
Amethystinus. Amethyst-blue 3 to	4 ft.	25	I 50
Lady Trevelyan. White2½ to	3 ft.	25	I 50
lævis. Light lilac3 to	4 ft.	25	I 50
Madonna. White4 to	5 ft.	35	2 50
Novæ-Angliæ. Purple4 to	5 ft.	25	1 50
Robert Parker. Lavender4 to	5 ft.	25	I 50
Bocconia cordata (Plume Poppy). White4 to	6 ft.	25	I 50
Boltonia asteroides (False Chamomile). White4 to	6 ft.	25	1 50
Campanula glomerata Dahurica, var. alba (Clustered			0
Bellflower). White	2 ft.	25	I 50
pyramidalis. Blue 2 to	4 ft.	25	1 50
Trachelium fl. pl. (Coventry Bells). Deep purple2 to	3 ft.	25	I 50
Ceratostigma plumbaginoides (Plumbago). Blue	6 in.	25	2 00
Chelone Lyoni (Turtle Head). Rose-purple11/2 to	2 ft.	35	2 50
obliqua, var. alba. White	2 ft.	35	2 50
Chrysanthemum Leucanthemum hybridum. White11/2 to	2 ft.	25	1 50
Nipponicum. White	2 ft.	35	2 50
uliginosum. White2½ to 3		25	1 50

Cimicituga Dahurica (Bugbane)			
Clematis Davidiana (Shrub Clematis), Lavender-blue.2 to 3 ft. 25 1 50		Each	Per 10
Clematis Davidiana (Shrub Clematis), Lavender-blue.2 to 3 ft. 25 1 50	Cimicifusa Dahurica (Bugbane). White 2 to 3 ft.		\$2 50
Conoclinum coelestinum (Mist-Hower) Biue 1	Clematis Davidiana (Shrub Clematis). Lavender-blue 2 to 3 ft.		
Delphinium Chinense (Chinese Larkspur). White and blue 18 in. 25 1 50	Conoclinum coelestinum (Mist-flower) Blue		
blue	Delnhinium Chinense (Chinese Larkspur) White and	-5	- 5-
Echinacea purpurea (Purple Cone-flower). Purple	blue 18 in	25	T 50
Echinacea purpurea (Purple Cone-flower). Purple	formorum (Larkenur) Dork and light blue a to a ft		
Eupatorium ageratoides	Politices purpuses (Pumple Cons derver) Pumple of the		
White			
White	Eupatorium ageratoides. White3 to 4 it.	25	1 50
Maroon	Funkia subcordata grandiflora (White Plantain Lily).		
Maroon	White	25	2 00
Maroon	Gaillardia grandiflora (Blanket-flower). Yellow and		
Gentian Andrewsii (Closed Gentian). Blue	maroon	25	1 50
Helenium autumnale. Yellow	Gentian Andrewsii (Closed Gentian). Blue 18 in.	35	2 50
autumnale superbum. Yellow	Helenium autumnale. Yellow 2 ft.		I 50
pumilum. Vellow			
Relianthus giganteus (Hardy Sunflower). Yellow 8 to 10 ft. 25 1 50 mollis. Golden yellow			
Helianthus giganteus (Hardy Sunflower). Yellow	grandicaphalum striatum Orango striped crimson a to 4 ft		
multiflorus, var. maximus. Yellow	Well-and Stratum Stratum Crange, Striped Crimson, 3 to 4 ft.		
orgyalis. Yellow	neighbor giganteus (flatdy Sufflower). Tellowo to 10 ft.		
orgyalis. Yellow	moins. Golden yellow		
rigidus, Var. Woolly Dodd. Deep yellow 5 ft. 25 1 50 rigidus, var. Woolly Dodd. Deep yellow 5 ft. 25 1 50 Heuchera sanguinea (Alum-root). Coral-red 18 in. 25 2 00 sanguinea alba. White 15 in. 25 1 50 Mibiscus Moscheutos, var. Crimson Eye (Mallow). White, crimson center 4 to 5 ft. 25 1 50 Inula Britannica (Fleabane). Yellow 15 to 18 in. 25 1 50 Obelisque. Orange-yellow 3 ft. 35 2 50 Obelisque. Orange-yellow 3 to 4 ft. 35 2 50 Obelisque. Orange-yellow 3 to 4 ft. 35 2 50 Pfitzeri. Orange-scarlet 2 to 3 ft. 35 2 50 Liatris spicata (Gay Feather). Deep purple 3 to 4 ft. 25 1 50 pycnostachya (Kansas Gay Feather). Rosy purple .4 to 5 ft. 25 1 50 syphilitica (Blue Lobelia). Blue and white 1½ to 2 ft. 25 1 50 syphilitica (Blue Lobelia). Blue and white 1½ to 2 ft. 25 1 50 syphilitica (Blue Lobelia). Blue and white 1½ to 2 ft. 25 1 50 Phlox paniculata (Hardy Phlox). All colors but yellow 2 to 5 ft. 25 2 00 Physostegia Virginiana (False Dragonhead). Deep rose 3 ft. 25 1 50 Platycodon grandiflorum (Balloon Flower). Blue and white 1½ ft. 25 1 50 Platycodon grandiflorum (Balloon Flower). Blue and white 1½ ft. 25 1 50 Newmanii. Vellow, purple cone 12 to 18 in. 25 1 50 Newmanii. Vellow, purple cone 12 to 18 in. 25 1 50 Sedum spectabile (Stonecrop). Rose 12 to 15 in. 25 2 00 spectabile atropurpureum. Purplish crimson 12 to 15 in. 25 2 00 cyanea alba. White 12 to 18 in. 50 3 50 Vernonia Arkansana (Ironweed). Red 5 ft. 25 2 00 Cyanea alba. White 12 to 18 in. 50 3 50 Vernonia Arkansana (Ironweed). Red 5 ft. 25 2 00 cyanea alba. White 15 to 18 in. 25 1 50 spicata Blue 15 to 18 in. 25 1 50 spicata Blue 16 15 to 18 in. 25 1 50 spicata Blue 17 to 10 varieties, our selection \$2 00 to 60 of the above assortment, in 10 varieties, our selection 12 50 10 10 of the above assortment, in 10 varieties,	multiflorus, var. maximus. Yellow		
rigidus, Var. Woolly Dodd. Deep yellow 5 ft. 25 1 50 rigidus, var. Woolly Dodd. Deep yellow 5 ft. 25 1 50 Heuchera sanguinea (Alum-root). Coral-red 18 in. 25 2 00 sanguinea alba. White 15 in. 25 1 50 Mibiscus Moscheutos, var. Crimson Eye (Mallow). White, crimson center 4 to 5 ft. 25 1 50 Inula Britannica (Fleabane). Yellow 15 to 18 in. 25 1 50 Obelisque. Orange-yellow 3 ft. 35 2 50 Obelisque. Orange-yellow 3 to 4 ft. 35 2 50 Obelisque. Orange-yellow 3 to 4 ft. 35 2 50 Pfitzeri. Orange-scarlet 2 to 3 ft. 35 2 50 Liatris spicata (Gay Feather). Deep purple 3 to 4 ft. 25 1 50 pycnostachya (Kansas Gay Feather). Rosy purple .4 to 5 ft. 25 1 50 syphilitica (Blue Lobelia). Blue and white 1½ to 2 ft. 25 1 50 syphilitica (Blue Lobelia). Blue and white 1½ to 2 ft. 25 1 50 syphilitica (Blue Lobelia). Blue and white 1½ to 2 ft. 25 1 50 Phlox paniculata (Hardy Phlox). All colors but yellow 2 to 5 ft. 25 2 00 Physostegia Virginiana (False Dragonhead). Deep rose 3 ft. 25 1 50 Platycodon grandiflorum (Balloon Flower). Blue and white 1½ ft. 25 1 50 Platycodon grandiflorum (Balloon Flower). Blue and white 1½ ft. 25 1 50 Newmanii. Vellow, purple cone 12 to 18 in. 25 1 50 Newmanii. Vellow, purple cone 12 to 18 in. 25 1 50 Sedum spectabile (Stonecrop). Rose 12 to 15 in. 25 2 00 spectabile atropurpureum. Purplish crimson 12 to 15 in. 25 2 00 cyanea alba. White 12 to 18 in. 50 3 50 Vernonia Arkansana (Ironweed). Red 5 ft. 25 2 00 Cyanea alba. White 12 to 18 in. 50 3 50 Vernonia Arkansana (Ironweed). Red 5 ft. 25 2 00 cyanea alba. White 15 to 18 in. 25 1 50 spicata Blue 15 to 18 in. 25 1 50 spicata Blue 16 15 to 18 in. 25 1 50 spicata Blue 17 to 10 varieties, our selection \$2 00 to 60 of the above assortment, in 10 varieties, our selection 12 50 10 10 of the above assortment, in 10 varieties,	orgyalis. Yellow	25	1 50
Figidus, var. Woolly Dodd. Deep yellow	rigidus. Yellow4 to 6 ft.	25	1 50
Heuchera sanguinea (Alum-root). Coral-red	rigidus, var. Woolly Dodd. Deep yellow 5 ft.		1 50
Sanguinea alba. White	Heuchera sanguinea (Alum-root), Coral-red 18 in.	. 25	2 00
Hibiscus Moscheutos, var. Crimson Eye (Mallow).	sanguinea alba. White		2 00
White, crimson center	Hibiscus Moscheutos var Crimson Eve (Mallow)	5	2 00
Inula Britannica (Fleabane). Yellow		0.5	7 50
Kniphofia aloides (Flame-flower)	White, critison center4 to 5 it.	25	-
Obelisque. Orange-yellow	inula Britannica (Fleabane). Yellow	. 25	1 50
Obelisque. Orange-yellow 3 to 4 ft. 35 2 50 Pfitzeri. Orange-scarlet 2 to 3 ft. 35 2 50 Pfitzeri. Orange-scarlet 2 to 3 ft. 35 2 50 pycnostachya (Kansas Gay Feather). Rosy purple 3 to 4 ft. 25 1 50 pycnostachya (Kansas Gay Feather). Rosy purple .4 to 5 ft. 25 1 50 pycnostachya (Kansas Gay Feather). Scarlet 2 to 3 ft. 25 1 50 pycnostachya (Kansas Gay Feather). Scarlet 2 to 3 ft. 25 1 50 pycnostachya (Kansas Gay Feather). Scarlet 2 to 3 ft. 25 1 50 pyhilitica (Blue Lobelia). Blue and white 1½ to 2 ft. 25 1 50 pyhysostegia Virginiana (False Dragonhead). Deep rose 3 ft. 25 1 50 phlox paniculata (Hardy Phlox). All colors but yellow .2 to 5 ft. 25 2 00 physostegia Virginiana (False Dragonhead). Deep rose 3 ft. 25 1 50 pyhysostegia Virginiana alba. White 3 ft. 25 1 50 pyhysostegia Virginiana alba. White 1½ ft. 25 1 50 pyhysostegia Virginiana alba. White 1½ ft. 25 1 50 pyhysostegia Virginiana alba. White 1½ ft. 25 1 50 pyhysostegia Virginiana alba. White 1½ ft. 25 1 50 pyhysostegia Virginiana alba. White 1½ ft. 25 1 50 pyhysostegia Virginiana alba. White 12 to 18 in. 25 1 50 pyhysostegia virginiana (Golden Glow). Double yellow 5 to 6 ft. 25 1 50 pyhysostegia virginiana (Golden Glow). Double yellow 5 to 8 ft. 25 1 50 pyhysostegia virginiana (Golden Glow). Double yellow 5 to 8 ft. 25 1 50 pyhysostegia virginiana (Golden Glow). Double yellow 5 to 8 ft. 25 1 50 pyhysostegia virginiana (Golden Glow). Double yellow 5 to 18 in. 25 2 00 pyhysostegia virginiana (Golden Glow). Double yellow 5 to 15 in. 25 2 00 pyhysostegia virginiana (Golden Glow). Double yellow 12 to 15 in. 25 2 00 pyhysostegia virginiana pyhysostegia virginiana pyhysostegia pyhysostegi	Kniphofia aloides (Flame-flower). Crimson, yellow 3 ft.	25	I 50
Pfitzeri. Orange-scarlet	Obelisque. Orange-vellow to 4 ft.	-	
Dobelia cardinalis (Cardinal Flower) Scarlet 2 to 3 ft 25 1 50	Pfitzeri, Orange-scarlet to 3 ft.		
Dobelia cardinalis (Cardinal Flower) Scarlet 2 to 3 ft 25 1 50	Listris spicata (Gay Feather). Deep purple to 4 ft.		
Lobelia cardinalis (Cardinal Flower). Scarlet	pycnostachya (Kansas Gay Feather). Rosy purple 4 to 5 ft.		
Phlox paniculata (Hardy Phlox). All colors but yellow. 2 to 5 ft. 25 2 00 Physostegia Virginiana (False Dragonhead). Deep rose. 3 ft. 25 1 50 Virginiana alba. White. 3 ft. 25 1 50 Platycodon grandiflorum (Balloon Flower). Blue and white. 1½ ft. 25 1 50 Rudbeckia nitida (Cone-flower). Pale yellow. 5 to 6 ft. 25 1 50 Rudbeckia nitida (Cone-flower). Pale yellow. 5 to 8 ft. 25 1 50 Newmanii. Yellow, purple cone. 12 to 18 in. 25 1 50 Sedum spectabile (Stonecrop). Rose 12 to 15 in. 25 2 50 Sedum spectabile (Stonecrop). Rose 12 to 15 in. 25 2 00 Senecio pulcher (Groundsel). Rosy purple 1½ to 2 ft. 25 1 50 Stokesia cyanea (Stokes' Aster). Lavender 15 to 18 in. 25 2 00 Stokesia cyanea (Stokes' Aster). Lavender 15 to 18 in. 25 2 00 Vernonia Arkansana (Ironweed). Red 5 ft. 25 2 00	Lobelia cardinalis (Cardinal Flower) Scarlet 2 to 3 ft		
Phlox paniculata (Hardy Phlox). All colors but yellow. 2 to 5 ft. 25 2 00 Physostegia Virginiana (False Dragonhead). Deep rose. 3 ft. 25 1 50 Virginiana alba. White. 3 ft. 25 1 50 Platycodon grandiflorum (Balloon Flower). Blue and white. 1½ ft. 25 1 50 Rudbeckia nitida (Cone-flower). Pale yellow. 5 to 6 ft. 25 1 50 Rudbeckia nitida (Cone-flower). Pale yellow. 5 to 8 ft. 25 1 50 Newmanii. Yellow, purple cone. 12 to 18 in. 25 1 50 Sedum spectabile (Stonecrop). Rose 12 to 15 in. 25 2 50 Sedum spectabile (Stonecrop). Rose 12 to 15 in. 25 2 00 Senecio pulcher (Groundsel). Rosy purple 1½ to 2 ft. 25 1 50 Stokesia cyanea (Stokes' Aster). Lavender 15 to 18 in. 25 2 00 Stokesia cyanea (Stokes' Aster). Lavender 15 to 18 in. 25 2 00 Vernonia Arkansana (Ironweed). Red 5 ft. 25 2 00	synhilitica (Blue Lobelia) Blue and white 1 1/2 to 2 ft		
Tose	Phlar paniculata (Hardy Phlar) All colors but yellow a to Eft		
Tose	Physasteria Virginiana (Falsa Dragonhand) Doon	23	2 00
Virginiana alba. White	Thysostegia Virginiana (Faise Diagonneau). Deep		
Wille	10Se		
Wille	Virginiana alba. White	25	1 50
Wille	Platycodon grandiflorum (Balloon Flower). Blue and		
laciniata (Golden Glow) Double yellow 6 to 8 ft. 25 1 50 Newmanii. Yellow, purple cone 12 to 18 in. 25 1 50 Sedum spectabile (Stonecrop) Rose 12 to 15 in. 25 2 00 Spectabile atropurpureum. Purplish crimson 12 to 15 in. 25 2 00 Spectabile atropurpureum. Purplish crimson 12 to 15 in. 25 2 00 Spectabile atropurpureum. Purplish crimson 12 to 15 in. 25 2 00 Spectabile atropurpureum. Purplish crimson 12 to 15 in. 25 2 00 Cyanea alba. White 12 to 18 in. 25 2 00 Cyanea alba. White 12 to 18 in. 25 2 00 Cyanea alba. White 12 to 18 in. 50 3 50 Cyernonia Arkansana (Ironweed). Red 5 ft. 25 2 00 Cyeronica longifolia rosea (Speedwell). Rose 1½ ft. 25 1 50 Longifolia subsessilis. Deep blue 1½ to 2 ft. 25 2 00 Cyeronica Blue 1 ft. 25 1 50 Spicata Blue 15 to 18 in. 25 1 50 Spicata Blue 15 to 18 in. 25 1 50 10 of the above assortment, in 10 varieties, our selection \$2 00 100 of the above assortment, in 10 varieties, our selection 12 50 100 of the above assortment, in 10 varieties, our selection 12 50 100 of the above assortment, in 10 varieties, our selection 12 50 100 of the above assortment, in 10 varieties, our selection 12 50 100 of the above assortment, in 10 varieties, our selection 12 50 100 of the above assortment, in 10 varieties, our selection 12 50 100 of the above assortment, in 10 varieties, our selection 12 50 100 of the above assortment, in 10 varieties, our selection 12 50 100 of the above assortment, in 10 varieties, our selection 12 50 100 of the above assortment, in 10 varieties, our selection 12 50 100 of the above assortment, in 10 varieties, our selection 12 50 100 of the above assortment, in 10 varieties, our selection 12 50 100 of the above assortment 12 to 12 of	white 1½ It.	25	
Newmanii. Vellow, purple cone.		25	1 50
Sedum spectabile (Stonecrop). Rose 12 to 15 in. 25 2 00 spectabile atropurpureum. Purplish crimson 12 to 15 in. 25 2 00 Senecio pulcher (Groundsel). Rosy purple 1½ to 2 ft. 25 1 50 Stokesia cyanea (Stokes' Aster). Lavender 15 to 18 in. 25 2 00 cyanea alba. White 12 to 18 in. 50 3 50 Vernonia Arkansana (Ironweed). Red 5 ft. 25 2 00 Vernoica longifolia rosea (Speedwell). Rose 1½ ft. 25 1 50 longifolia subsessilis. Deep blue 1½ to 2 ft. 25 2 00 spicata. Blue 1½ to 2 ft. 25 1 50 spicata alba. White 15 to 18 in. 25 1 50 10 of the above assortment, in 10 varieties, our selection \$2 00 50 of the above assortment, in 10 varieties, our selection 12 50	laciniata (Golden Glow). Double yellow6 to 8 ft.	25	1 50
Sedum spectabile (Stonecrop). Rose 12 to 15 in. 25 2 00 spectabile atropurpureum. Purplish crimson 12 to 15 in. 25 2 00 Senecio pulcher (Groundsel). Rosy purple 1½ to 2 ft. 25 1 50 Stokesia cyanea (Stokes' Aster). Lavender 15 to 18 in. 25 2 00 cyanea alba. White 12 to 18 in. 50 3 50 Vernonia Arkansana (Ironweed). Red 5 ft. 25 2 00 Vernoica longifolia rosea (Speedwell). Rose 1½ ft. 25 1 50 longifolia subsessilis. Deep blue 1½ to 2 ft. 25 2 00 spicata. Blue 1½ to 2 ft. 25 1 50 spicata alba. White 15 to 18 in. 25 1 50 10 of the above assortment, in 10 varieties, our selection \$2 00 50 of the above assortment, in 10 varieties, our selection 12 50	Newmanii. Yellow, purple cone12 to 18 in	. 25	1 50
Senecio pulcher (Groundsel). Rosy purple	triloba. Yellow, black cone 3 to 4 ft.	25	
Senecio pulcher (Groundsel). Rosy purple	Sedum spectabile (Stonecrop). Rose	25	
Senecio pulcher (Groundsel). Rosy purple. 1½ to 2 ft. 25 1 50 Stokesia cyanea (Stokes' Aster). Lavender. 15 to 18 in. 25 2 00 cyanea alba. White. 12 to 18 in. 50 3 50 Vernonia Arkansana (Ironweed). Red. 5 ft. 25 2 00 Baldwini. Purple. 4 to 5 ft. 25 2 00 Veronica longifolia rosea (Speedwell). Rose. 1½ ft. 25 1 50 longifolia subsessilis. Deep blue. 1½ to 2 ft. 25 2 00 spicata. Blue. 1 ft. 25 1 50 spicata alba. White 15 to 18 in. 25 1 50 10 of the above assortment, in 10 varieties, our selection. \$2 00 50 of the above assortment, in 10 varieties, our selection. 6 50 100 of the above assortment, in 10 varieties, our selection. 12 50	spectabile atropurpureum. Purplish crimson 12 to 15 in.	25	
Slokesia cyanea (Stokes' Aster) Lavender 15 to 18 in. 25 2 00 cyanea alba Mite 12 to 18 in. 50 3 50 3 50 Vernonia Arkansana (Ironweed) Red 5 ft. 25 2 00 Baldwini Purple 4 to 5 ft. 25 2 00 Veronica longifolia rosea (Speedwell) Rose 1½ ft. 25 1 50 longifolia subsessilis Deep blue 1½ to 2 ft. 25 1 50	Senecio pulcher (Groundsel) Rosy purple 11/4 to 2 ft		
cyanea alba. White 12 to 18 in. 50 3 50 Vernonia Arkansana (Ironweed). Red 5 ft. 25 2 00 Baldwini. Purple 4 to 5 ft. 25 2 00 Veronica longifolia rosea (Speedwell). Rose 1½ ft. 25 1 50 longifolia subsessilis. Deep blue 1½ to 2 ft. 25 2 00 spicata. Blue 1ft. 25 1 50 spicata alba. White 15 to 18 in. 25 1 50 10 of the above assortment, in 10 varieties, our selection \$2 00 50 of the above assortment, in 10 varieties, our selection 6 50 100 of the above assortment, in 10 varieties, our selection 12 50	Stokesia cyanea (Stokes' Actor) Layender 15 to 18 in	25	
Baldwini. Purple	evence alba White	. 23 50	
Baldwini. Purple	Variania Arlancana (Iranyaad) Dad	. 50	
Veronica longifolia rosea (Speedwell). Rose. 1½ ft. 25 1 50 longifolia subsessilis. Deep blue 1½ to 2 ft. 25 2 50 spicata. Blue 1 ft. 25 1 50 spicata alba. White 15 to 18 in. 25 1 50 10 of the above assortment, in 10 varieties, our selection. \$2 00 6 50 10 of the above assortment, in 10 varieties, our selection. 12 50	Poldwini Durole		
longifolia subsessilis. Deep blue	Version levels 1: (Count of 1) D		
spicata. Blue	veronica longitolia rosea (Speedwell). Kose 1½ ft.	25	
spicata alba. White	longitona subsessitis. Deep blue	25	
spicata alba. White	spicata. Blue I ft.	25	1 50
10 of the above assortment, in 10 varieties, our selection\$2 00 50 of the above assortment, in 10 varieties, our selection6 50 100 of the above assortment, in 10 varieties, our selection	spicata alba. White	. 25	1 50
50 of the above assortment, in 10 varieties, our selection			\$2 00
100 of the above assortment, in 10 varieties, our selection	50 of the above assortment, in 10 varieties, our selection		6 50
100 of the above assortment, in 25 varieties, our selection	100 of the above assortment, in 10 varieties, our selection		12 50
	100 of the above assortment, in 25 varieties, our selection		15 00



Aster Novæ Angliæ

OCTOBER

HILE October days bring to tree and shrub rich autumn colors, they do not neglect the garden and the border. To the Asters, which are now at their height, are added the showy Goldenrods, brilliant and rich in shades of yellow and bronze, and the dainty white and golden yellow varieties that do so well in

the shaded positions.

N. B.—This month, it is well for planters to note that all springblooming plants which it is hoped to have in good flower next spring, and which are still to be planted, should be set out during October, rather than the spring, if one would enjoy their spring bloom at its best. Spring planting of the spring-blooming varieties does not give them sufficient time to become established and give good bloom the same season.

Same Season.		Each	Per 10
Aconitum autumnale (Monkshood). Lilac		\$0 35	\$2 50
Fischeri. Blue 2 to	3 ft.	35	2 50
Napellus. Blue	3 ft.	35	2 50
Napellus bicolor. Blue and white	3 ft.	35	2 50
Napellus flore alba. White	3 ft.	35	2 50
Pyrenaicum. Yellow	3 ft.		2 50
Anemone Japonica, in variety (Wind-flower). White		00	Ü
to red 2 to	зft.	25	2 00
Aster grandiflorus. Violet-blue	2 ft.	35	2 50
Tataricus. Purple4 to	5 ft.	25	I 50
Ceratostigma plumbaginoides (Plumbago). Blue	6 in.	25	2 00
Chelone Lyoni (Turtle Head). Rose-purple 1½ to	2 ft.	25	2 00
obliqua, var. alba. White	2 ft.	35	2 50
Chrysanthemum Nipponicum. White	2 ft.	35	2 50
Pompon varieties. All colors but blue 2 to 2		25	I 50
Conoclinum coelestinum (Mist-flower). Blue 1½ to		25	1 50
Delphinium formosum (Larkspur). Dark and light			
blue 2 to	3 ft.	25	I 50
Gaillardia grandiflora (Blanket-flower). Yellow and			
maroon	½ ft.	25	1 50

	m 1	
Walaniam automorphism 17, 11	Each	Per 10
Helenium autumnale superbum. Yellow4 to 5 ft.	₿O 25	\$1 5 0
pumilum. Yellow	25	I 50
Helianthus Maximiliani. Yellow 6 to 8 ft.	25	I 50
Inula Britannica (Fleabane). Yellow 15 to 18 in.	25	1 50
Kniphofia aloides (Flame-flower). Crimson, yellow 3 ft.	25	1 50
Pfitzeri. Orange-scarlet 2 to 3 ft.	25	I 50
Lobelia syphilitica (Blue Lobelia). Blue and white 11/2 to 2 ft.	25	I 50
Rudbeckia triloba (Cone-flower). Yellow, black cone.3 to 4 ft.	25	1 50
Sedum spectabile (Stonecrop). Rose	25	2 00
spectabile atropurpureum. Purple-crimson12 to 15 in.	25	2 00
Senecio pulcher (Groundsel). Rosy purple 11/2 to 2 ft.	25	I 50
Solidago, in variety. White, yellow and bronze2 to 5 ft.	25	2 00
Stokesia cyanea (Stokes' Aster). Lavender 15 to 18 in.	25	2 00
cyanea alba. White15 to 18 in.	50	3 50
Veronica longifolia rosea (Speedwell). Rose 1½ ft.	25	I 50
longifolia subsessilis. Deep blue1½ to 2 ft.	25	2 00
10 of the above assortment, in 10 varieties, our selection		
50 of the above assortment, in 10 varieties, our selection	• • • • •	6 50
100 of the above assortment, in 10 varieties, our selection		12 50
100 of the above assortment, in 25 varieties, our selection		15 00

NOVEMBER

OVEMBER closes the garden season with a grand display, as it brings us the Hardy Chrysanthemums in numberless colors and of wonderful florescence, and furnishing, with the blooms of the late summer flowers that still stay with us, all the blossoms that one may ask for cutting.

At this season preparations should be made for the winter care of the plants. All but the evergreen varieties should be cut down and made ready for the application of the winter mulch as soon as the ground freezes.

ŭ	Each	Per 10
Anemone Japonica in variety (Windflower). White to		
red 2 to 3 ft.	\$ 0 25	\$2 00
Aster grandiflorus. Violet-blue	25	I 50
trinervius. Light lavender 3 ft.	25	I 50
Ceratostigma plumbaginoides (Plumbago). Blue 6 in.	25	2 00
Chrysanthemum Nipponicum. White	35	2 50
Pompon varieties. All colors but blue to 2½ ft.	25	1 50
Conoclinum coelestinum (Mist-flower). Blue 1½ to 2 ft.	25	I 50
Gaillardia grandiflora (Blanket-flower). Yellow and		
maroon	25	I 50
Rudbeckia triloba (Cone-flower). Yellow, black cone.3 to 4 ft.	25	I 50
Senecio pulcher (Groundsel). Rosy purple 1 1/2 to 2 ft.	25	1 50
Solidago, in variety. Yellow, bronze 5 ft.	25	2 00
Stokesia cyanea (Stokes' Aster). Lavender	25	2 00
cyanea alba. White	50	3 50
Veronica longifolia, var. subsessilis. Deep blue 1½ to 2 ft.	25	2 00
10 of the above assortment, in 10 varieties, our selection		\$2 00
50 of the above assortment, in 10 varieties, our selection		
100 of the above assortment, in 10 varieties, our selection	• • • • • •	12 50



Anemone Japonica

Special-Purpose Lists

UMEROUS requests for lists of Perennials suitable for distinct purposes have led us to believe that the following lists will be very welcome to flower lovers, especially those beginning new gardens, or whose garden space may be limited. No endeavor has been made to carry into these lists an extensive number of varieties, and there are many besides those mentioned that are adapted to the same purpose. This list will, however, be found to contain varieties of sterling merit for the purposes for which they are suggested.

FERNS

I would not be well to pass over special lists, such as are here given, without speaking of the hardy Ferns—a class of plants with wide range and adapting themselves to both wet and dry positions, either in sunlight or shade. The following are a few of the choicest and most easily grown, but many other varieties can be supplied, and we shall be glad to furnish detailed information.

Adiantum pedatum (Maidenhair Fern). 1 to 2 ft. high. Useful in moist, shaded positions in the woods or rockery.

Aspidium acrostichoides (Christmas Fern). I to 2 ft. Evergreen. Either dry or moist soil in shady places, either in the border or rockery. Filix-mas (Male Fern). 2 ft. high. Adapted to semi-shaded positions. Goldianum. 2 to 4 ft. high. Adapted to semi-shaded positions.

marginale. 1 to 2 ft. high. Evergreen. Useful in shady places, either dry or moist soil.

Asplenium Filix-foemina (Lady Fern). 2 to 3 ft. high. Moist, shady places.

Botrychium Virginianum (Moonwort). 6 to 12 in. high. Shaded positions, moist or dry soil.

Dicksonia punctilobula (Boulder Fern). 2 to 3 ft. high. For open planting: forms large patches.

Onoclea sensibilis (Sensitive Fern). I to 2 ft. high. Wet ground, in open plantings; excellent for bordering ponds or brooks.

Struthiopteris (Ostrich Fern). 2 to 4 ft. high. For open, unshaded positions.

Osmunda gracilis (Flowering Fern). 2 to 4 ft. high. Moist places, in shade or sunshine.

Claytoniana. 2 to 5 ft. high. For open, unshaded positions.


Cinnamomea (Cinnamon Fern). 2 to 5 ft. high. For shaded or open plantings in wet soils.

Woodsia obtusa. 6 to 12 in. high. For moist, shady places, and excellent for rockery work.

Woodwardia angustifolia (Chain Fern). 1 ft. high. For moist places, in shade or open.

The above varieties, 25 cts. each, \$2 per 10, \$15 per 100. The above collection, in 15 varieties, \$3.

100 of the above assortment, in 5 varieties, our selection, \$12.50.



Asplenium Filix-foemina and Aspidium marginale



TWENTY-FIVE DESIRABLE PERENNIALS FOR CUTTING

COTTING
Achillea Ptarmica, The Pearl. White
Anemone Japonica, in variety. White to carmine . 2 to 3 ft Sept. until frost
Anthemis tinctoria. Yellow 1½ to 2 ft June to Sept.
Asters, in variety. Many colors
Boltonia asteroides. White4 to 6 ft Aug. to Oct.
Chrysanthemum, Shasta Daisies. White 2 ft July to Sept.
Pompon varieties. All colors 2 to 2½ ft Sept. until frost
Coreopsis lanceolata. Yellow
Delphinium formosum. Deep blue
Dianthus barbatus. Mixed colors
Doronicum excelsum, Yellow
Gaillardia grandiflora. Yellow, maroon 1½ ftJune to Nov.
Gypsophylla paniculata. White to 3 ft July and Aug.
Helianthus multiflorus plenus. Double yellow 4 ft July to Sept.
Heliopsis Pitcheriana. Yellow 3 to 4 ftJune to Oct.
Heuchera sanguinea. Coral-red 18 in July to Sept.
Iris Germanica. All colors
lævigata (Japanese Iris). Many colors 2½ to 4 ft June and July
Lychnis viscaria splendens fl. pl. Rose-pink 1½ ftJune and July
Paeonia Chinensis. Many colors 2 to 4 ft May and June
Phlox paniculata. Many colors
Pyrethrum roseum. White to red
Spireas, Herbaceous. Many colors to 5 ft June and July
Veronica subsessilis. Deep blue
spicata, in variety. Many colors I ft, June to Oct.
10 of the above assortment, in 10 varieties, our selection\$2 00
50 of the above assortment, in 10 varieties, our selection 6 50
100 of the above assortment, in 25 varieties, our selection



Sedum spectabile

TWENTY-FIVE DESIRABLE PERENNIALS FOR SHADED POSITIONS

Much beauty can be had by proper planting in the shade beneath trees, along the side of buildings or in ravines where sun-loving plants will not thrive. In just such situations, the following selection of shade-loving plants will find congenial homes. In this list, the varieties marked with an asterisk are especially adapted to wet soils.

asterisk are especially adapted to wet sons.	172 1-	n
Appellant District (No. of stored) Disc	Each	Per 10
Aconitum Fisheri (Monkshood). Blue		\$2 50
Anemone Pennsylvanicum. White	25	2 00
Aquilegia Canadensis (Common Columbine). Scarlet. 1 to 2 ft.	25	I 50
*Chelone obliqua alba. White	35	2 50
Convallaria majalis (Lily-of-the-Valley). White6 to 9 in.	25	2 00
Digitalis purpurea (Foxglove). White to purple3 to 4 ft.	25	1 50
Epimediums, in variety. Many colors 6 to 12 in.	25	2 00
Funkias, in variety. White, lavender, blue11/2 to 2 ft.	25	1 50
Hemerocallis fulva. Deep tawny yellow2½ to 3 ft.	25	1 50
Hepatica triloba (Liver Leaf). White, blue 6 in.	25	I 25
Iris cristata. Blue, spotted yellow 6 in.	25	I 50
*Lobelia cardinalis (Cardinal Flower). Scarlet 2 to 3 ft.	25	1 50
Lychnis coronaria (Rose Campion). Crimson1½ to 2 ft.	25	1 50
Monarda didyma. Scarlet 2 to 3 ft.	25	1 50
Phlox divaricata (Wild Sweet William). Lavender Ift.	25	1 50
*Platycodon grandiflorum (Balloon Flower). Blue, white 1½ ft.	25	1 50
Primula veris (Polyanthus). Yellow, orange, crimson.6 to 9 in.	25	1 50
Sedum spectabile (Stone-crop). Rose12 to 15 in.	25	2 00
Smilacina racemosa. White	25	I 50
*Spiraea palmata. Deep crimson	25	2 00
Stachys Betonica (Betony). Rosy pink12 to 18 in.	25	1 50
Thalictrum aquilegifolium. White 2 to 4 ft.	25	1 50
Tradescantia Virginica (Spiderwort). Purple11/2 to 2 ft.	25	i 50
Trillium grandiflorum (Wood Lily). White9 to 12 in.	25	I 50
Vinca minor. Bluespreading	25	1 50
	_	
10 of the above assortment, in 10 varieties, our selection		. 6 5 0
50 of the above assortment, in 10 varieties, our selection		10 50
100 of the above assortment, in 5 varieties, our selection		
100 of the above assortment, in 25 varieties, our selection	• • • • • •	19 00



Phlox subulata

TEN PLANTS SUITABLE FOR GROUND COVER

Almost every one has some bare spot of ground where a cover is desirable. From the following a selection can be made to suit any situation.

and a second sec				
	Each		100	
Anemone Pennsylvanicum. White to 2 ft.	\$0 25	\$2 00	\$12 50	
Asarum canadense. Chocolate-brown in.	25	I 50		
Cerastium tomentosum. Whitespreading	25	1 50	12 50	
Lysimachia nummularia. Yellowcreeping	25	1 50	10 00	
Myosotis palustris. Light bluespreading	25	I 50	10 00	
Nepeta glechoma variegata. Light purplespreading	25	1 50	10 00	
Pachysandra terminalis. White	25	1 50	12 50	
Phlox subulata, in variety. White, rose, purplecreeping	25	I 50	10 00	
Sedum sexangulare. Yellowcreeping	25	1 50	10 00	
Veronica rupestris. Bluespreading	25	1 50	10 00	
Vinca minor. Bluespreading	25	1 50	10 00	
The above assortment of 10 varieties			. \$2 00	
50 of the above assortment, in 10 varieties			. 6 50	
100 of the above assortment, in 5 varieties, our selection			. 12 50	

TEN VARIETIES SUITABLE FOR DRY LOCATIONS

The following varieties will be found very satisfactory for o	lry pos	sitions
in the rock-garden, under trees or on steep banks.	Each	Per 10
Achillea tomentosa. Bright yellow 9 to 12 in.	\$0 25	\$2 00
Aquilegias, in variety. White, yellow and blue1½ to 2 ft.	25	2 00
Asclepias tuberosa. Orange 2 ft.	25	1 50
Arabis alpina. White4 to 6 in.		1 50
Cerastium tomentosum. Whitespreading		1 50
Lavendula vera (Lavender). Lavender	25	1 50
Liatris spicata (Gay Feather). Deep purple3 to 4 ft.	25	1 50
Lychnis coronaria (Rose Campion). Crimson1½ to 2 ft.	25	1 50
Phlox subulata (Mt. Pink). Rosecreeping	25	I 50
Sedum sexangulare (Stonecrop). Yellowcreeping	25	I 50
The above assortment of 10 varieties		
50 of the above assortment, in 10 varieties		
100 of the above assortment, in 5 varieties, our selection		12 DU

TWENTY-FIVE PLANTS FOR THE ROCK-GARDEN

For this purpose plants of special character are required. The following are suggested after careful selection, and will be found to fully meet the requirements.

Each Per 10

mg are suggested after careful selection, and and se loand to la	,	ce the
requirements.	Each	Per 10
Alyssum saxatile compactum (Golden Tuft). Yellow. Ift.	SO 25	\$1.50
Aquilegias, in variety. White, yellow, blue	25	2 00
Armeria maritima (Thrift). Rosy purple to 9 in.	25	I 50
Arabis alpina (Rock Cress). White4 to 6 in.	25	1 50
Aster Amellus elegans. Blue	25	1 50
Cerastium tomentosum. White spreading	25	1 50
Ceratostigma plumbaginoides (Plumbago). Blue 6 in.	25	2 00
Campanula Carpatica (Harebell). Deep blue 9 in.	25	I 50
Dianthus deltoides (Maiden Pink). Pinkcreeping	25	1 50
Dicentra eximia (Bleeding Heart). Pink	25	2 00
Geranium sanguineum (Cranesbill). Red 1½ ft.	25	1 50
Gypsophila paniculata (Baby's Breath). White2 to 3 ft.	25	1 50
Heuchera sanguinea (Alum-root). Coral-red 18 in.	25	2 00
Iberis sempervirens (Candytuft). White 6 to 8 in.	25	1 50
Iris tectorum. Lilac 1 ft.	25	2 00
Lychnis viscaria splendens plena. Rose-pink 1½ ft.	25	2 00
Pachysandra terminalis. White	- 25	1 50
Phlox divaricata (Wild Sweet William). Lavender	25	1 50
subulata (Mountain Pink). Many colorscreeping	25	1 50
Sedums, in variety (Stonecrop). Yellow, rose, pink3 to 12 in.	25	1 50



Rock Garden

Each Per 10	0
Statice latifolia (Great Sea Lavender). Deep blue 2 ft. \$0.25 \$1.50	5
Santolina incana. Deep veilow	
Stokesia cyanea (Stokes' Aster). Lavender15 to 18 in. 25 2 00	
Thalictrum aquilegifolium. White 2 to 4 ft. 25 1 50	
Thymus montanus (Creeping Thyme). Reddish	
purplecreeping 25 1 50	5
10 of the above assortment, in 10 varieties, our selection\$2 00	
50 of the above assortment, in 10 varieties, our selection 6 50	
100 of the above assortment, in 5 varieties, our selection	
100 of the above assortment, in 25 varieties, our selection	
100 of the above absolutedly, in 20 validates, our belowing	•
TEN PERENNIALS SUITABLE FOR LOW, WET GROUND)
The following plants will thrive in moist places or bogs where the	_
general list would not give results. They love moist places and will brighten	1
Chelone Lyoni (Turtle Head). Rose-purple1½ to 2 ft. \$0 35 \$2 50	
Echenacea purpurea (Purple Cone-flower). Purple 3 ft. 25 2 00	J
Hibiscus Moscheutos, var. Crimson Eye. White, crim-	
son center	
Iris Pseudacorus (Yellow Iris). Yellow	
Trollius Europæus (Globe-flower). Yellow1½ to 2 ft. 25 1 50	
Lobelia cardinalis (Cardinal Flower). Scarlet2 to 3 ft. 25 1 50	
Lythrum saliscaria (Spiked Loosestrife). Pink 3 ft. 25 I 50	
Myosotis palustris (Forget-me-not). Light bluespreading 25 1 50	
Spireas, in variety	
Tradescantia Virginica (Spiderwort). Purple 1½ to 2 ft. 25 1 50	
The above collection of 10 varieties\$2 00)
50 of the above assortment, in 10 varieties, our selection 6 50	
100 of the above assortment, in 5 varieties, our selection 12 50	



Iris Pseudacorus

SELECT IRIS

FLEUR-DE-LIS of the French, and Iris of our gardens, are admirable hardy border plants. There are varieties and colors innumerable in flowers large and handsome, exhibiting beautiful shades and variations. The great Japan group (I. Kæmpferi) is especially rich in this direction, having been improved and hybridized in Japan and other countries until its flowers now glitter in manv

strange, rich colors, and are of enormous size. All Irises are benefited by moist situations and an abundance of water when coming into flower, but they will all grow well in ordinary garden soil, and *Iris tectorum* will do well in dry situations.

Japanese Iris (Iris lævigata)

These are fine border plants, flowering in June and July. In congenial situations they grow 3 to 3½ feet and on stems 3 to 4 feet long, produce flowers from 10 to 12 inches in diameter, and delicate as orchids. Colors are brilliant and striking, in shades of blue, purple and red; white marked with shades of these colors, and yellow, and pure white. We can select varieties to cover the full blooming period at \$5 per doz.



Japanese Iris

Customers' selections, 35 cts. each, \$3 per 10, \$25 per 100, selected named varieties.

Our selection, 25 cts. each, \$2 per 10, \$15 per 100, assorted varieties.

The following comprises a choice collection selected from a large number of varieties. This list contains no duplicates, the colorings are distinct, every variety is strong-stemmed and will hold its flowers erect. In the descriptions, the word petal is used as being better understood than the correct botanical word "segment." The varieties which are generally known as double are noted as six-petaled, these varieties having six large petals in one tier. The other type, known as singles, have a lower tier of three broad petals and an upper or inner tier of three smaller petals.



Garden of Japanese Iris at Andorra

I **Antelope.** Dwarf. Six-petaled. Marbled with white and reddish purple, with yellow blotch at base of petal; styles white, edged with reddish purple; early and distinct.

2 Anne Boleyn. Medium. Six-petaled. Purplish blue tinted with royal purple and flaked with white; petals showing distinct veining outward from the yellow blotch at base of petal; styles purple tinted and deeper color at the outer edge; tipped and cleft.

4 Apple Blossom. Medium. Three large petals, white ground slightly flushed with rosy purple and showing white lines along the veins; yellow blotch at base of petal outlined with pale blue; three small petals of rosy purple; styles white, purple tinted. Late.

7 **Blue Danube.** Dwarf. Six-petaled. Deep indigo-blue with violet shadings, and prominent yellow blotch at base of petal; styles violet-blue.

8 Blue Jay. Tall. Six-petaled. White ground deeply overlaid with azureblue, showing distinct white lines; yellow blotch at base of petal; styles white deeply edged with azure-blue.

12 Diana. Medium. Three large petals. French-white ground with prominent violet-purple markings and white margin, yellow blotch at base of petal; three small petals, purple, edged with white; styles lavender-purple, edged with white; cleft.

13 Dinah. Medium. Six-petaled. Reddish purple flaked with white, yellow blotch at base; styles deeply edged with purple.

18 Goldbound. Tall. Six-petaled. Broad petals of pure white, prominent yellow blotch at base; styles ivory-white; cleft.

19 Granite. Tall. Three large petals. Heliotrope and porcelain, shaded with purple, yellow blotch at base of petal covered with the styles; three small petals, purple edged with white; styles lavender-purple faintly edged with white; deeply cleft.

21 Hannibal. Medium. Late. Six-petaled. Porcelain with faint blush, distinctly lined with rose-purple and distinct yellow blotch at base; styles deep purple tinted with light layender. Cleft.

22 Hyde Park. Tall. Six-petaled. White ground marbled with reddish purple; prominent lengthy yellow markings at base of petals; white styles edged with dark purple; deeply cleft.

26 Mahogany. Tall. Six-petaled. Dark velvety red shaded with maroon; yellow blotch at base of petal very prominent; styles reddish purple.

Cleft.

28 Mt. Hood. Tall. Six-petaled. Violet-red shading deep blue toward the center, yellow blotch at base; styles overlaid with violet and tipped

with blackish violet; deeply cleft and tufted.
29 Navaho. Tall. Three broad petals. Light ground marked with violet-blue and maroon; yellow blotch at base of petals; three narrow petals red-dish purple edged with white; styles bluish purple edged with white. 30 Neptune. Medium. Three large petals of rosy purple, suffused with light

blue and with faint yellow blotch at base of petal; three smaller petals rosy purple marbled with white; styles white shaded to purple.

32 Oriole. Dwarf. Six-petaled. Velvety purple amaranth with prominent vellow blotch at base; styles light, bordered with purple amaranth. 36 Princess Clothilde. Medium. Six-petaled. Ashy gray, blushed with purple, distinct yellow blotch at base of petals; styles grayish purple.

37 Prince Camille de Rohan. Tall. Nine-petaled. Six broad petals of rich reddish purple with indigo-blue shadings toward the center; distinct yellow blotch at base of petal; three small petals of reddish purple; styles blackish purple; cleft.

38 **Pyramid.** Tall. Six-petaled. Deep violet-purple veined with white, yellow blotch at base of petal; styles white edged with deep purple.

39 Quakeress. Tall. Three large petals. Lavender-rose ground shading deeper to the edge, yellow blotch at base, surrounded by blue, veining to the outer edges; three small petals lavender-rose, faintly veined with pale purple; styles light rose; deeply cleft.

41 Robert Craig. Tall. Six-petaled. French-gray tinted toward the base

with violet; greenish yellow blotch at base; styles white, violet tinted;

42 Shadow. Tall. Three large petals, deep purplish blue shading to indigo, golden yellow blotch at base; three narrow petals of self-purple; styles blackish purple; deeply cleft.

43 St. Ogg. Dwarf. Six-petaled. Purplish blue shading to indigo, small yel-

low blotch at base of petal; styles indigo-blue.

44 Souvenir. Tall. Three broad petals of purple-rose, shading deeper to the outer edge and suffused and veined with bluish purple, shading deeper to the outer edge, yellow blotch at base of petal; three small petals of purple-rose lightly veined with purple; styles purple-rose running deeper to the tips and cleft.

45 **Templeton.** Medium. Six-petaled Violet-purple marbled with white,

yellow blotch at base; styles pale violet-purple.

47 Venus. Medium. Three large petals of pearly white, with faint vellow blotch at base covered by the styles; three narrow petals of pearly

white; style ivory-white.

48 Vesta. Tall. Three large petals, light ground covered with reddish purple distinctly veined with purple and light edge to entire petal, yellow blotch at base covered by the styles; three smaller petals, purple edged with white; cleft.

49 Victor. Medium. Six-petaled. Porcelain veined with blue, yellow blotch at base; styles purple touched with blue and faintly edged with white;

deeply cleft.
52 Zenobia. Tall. Six-petaled. Light ground suffused with bright reddish purple and distinctly edged with white; yellow blotch at base of petal; styles light to deep purple; cleft.



Field of Iris Germanica at Andorra

German Iris (Iris Germanica)

For the wild garden, shrubbery border and margins of water, there is no better and more beautiful plant than the German Iris. Like all others of their family, the varieties thrive best in low situations, and can be planted even in marshy ground. They bloom early, and in their coloring the variety is endless, comprising every shade of purple, bronze, gold, blue, white, etc. The following list was selected from over one hundred varieties:

25 cts. each, \$1.50 per 10, \$10 per 100

- 265 Bossuet. Tall; standard petals purplish bronze; fall petals purple.
- 264 Candida. Pale blue, feathered with white.
- 273 Celeste. Beautiful satiny blue.
- 279 Cream. Cream color.
- 267 Delicata. Tall; standard petals yellow tinted; fall petals dashed with purple, running lighter to the edges.
- 253 Edina. Clear satin-blue, marked with dark blue.
- 271 La Tristesse. Standard petals dull yellow bronze; fall petals veined with maroon, dashed with purple.
- 272 Lucrece. Standard petals tinted yellow and blue; fall petals lightly veined with blue.
- 256 Mad. Chereau. Standard petals white, heavily frilled with clear blue;
- fall petals white, edged blue.

 274 Mexicana. Dwarf. Standard petals yellow; fall petals veined with pur-
- 274 Mexicana. Dwarf. Standard petals yellow; fall petals veined with purple. Very distinct.
- 288 Old Purple. Self-color; very deep violet-purple.
- 286 Parisiensis. Self-color; purple.
- 261 Queen of May. Tall; rosy lilac; distinct.
- 275 Rolandiana. Standard petals blue; fall petals reddish purple.
- 283 **Spectabilis.** Standard petals light violet-purple; fall petals, deep violet-purple.
- 287 Stenophylla. Self-color; deep lavender.
- 276 Thovista. Standard petals light blue; fall petals dark blue.

Other Desirable Species of Iris

			Per 10
250	atroviolacea. A tall grower, producing delicate dark violet blooms in late May	\$0 35	\$3 oc
651	cristata. Dwarf; blooming in April and May; light blue, spotted yellow. An excellent sort for massing in damp and shady places	25	1 50
355	Florentina. A dwarf grower, valuable for border work, generally known as White Iris, though the upper segments are tinted with lavender. Fragrant		2 00
817	pallida dalmatica. A rare sort. Strong grower, producing large light blue flowers in early June. Fragrant		3 00
259	pallida speciosa. A very desirable sort, producing bright indigo-blue flowers on long stems in late May. Fragrant.	35	3 00
654	Pseudacorus. Very robust variety; the broad, dark green foliage gives a splendid setting to the numerous bright deep yellow flowers of late May and early June		2 00
653	pumila nova. Of extremely dwarf habit, it is highly valued for border work. Flowers produced on very short, stocky stems. Flowers early. The following are distinct varie-		
	ties:var. alba. Pure white. hybrida aurea. Deep yellow. hybrida cyanea. Royal purple. hybrida Eburna. White with cream shadings. hybrida florida. Lemon-yellow with darker shadings.	25	2 00
-			

- 657 Sibirica. This variety forms sturdy clumps and flowers profusely on long stems; flowers of bright lilac-blue. May and June. (Later than var. orientalis). 25 cts. each, \$1.50 for 10.
- 658 **Sibirica** var. **alba.** An extremely dainty variety, with very narrow foliage and delicate white flowers. 35 cts. each, \$3 for 10.
- 652 Sibirica var. orientalis. Much darker blue than Sibirica; grows about the same height and blooms earlier. 25 cts. each, \$1.50 for 10.
- 659 **tectorum.** A dwarf sort from Japan. Foliage is good; the bright lilac flowers, delicately streaked with violet, make it a very desirable sort. It will thrive in dry positions. 25c. each, \$2 for 10.



Iris pseudacorus

PERENNIAL PHLOXES

HIS glorious family of hardy perennials is, perhaps, the most widely known and popular of all the various plants which we have in our gardens, and each year finds the newer and showier varieties increasing through the hybridizer's skill. Certainly, no perennial is more worthy of culture, more satisfactory in every situation, or



Perennial Phlox, Independence

more effective, either as individual plants or grouped in masses in shrubbery beds. All of the Phloxes, with the exception of the dwarf form, are well adapted for cutting and are exceedingly floriferous. Every shoot is topped by a heavy pyramidal cluster. The plants begin to bloom early in June, and the garden borders can be kept aflame with great trusses of flowers from early June until frost, Already they run through the whole gamut of colors in shades delicate or deep and rich, with flowers ringed, eyed, shaded and selfcolored. Although the Phloxes are bold and hardy in their growth, thriving even in poor soils and situations, they appreciate deep, rich ones, and pay a royal tribute to all extra care bestowed.

25 cts. each, \$2 per 10, \$15 per 100; heavy plants can be supplied of some varieties at 50c. each, \$4 per 10, \$25 per 100

101 Albatre. Dwarf. White, dense panicles.

102 Argon. Dwarf; early. Large panicles of large flowers, delicate rose shaded salmon.

105 Bacchante. Medium; early. Crimson, shading lighter to center.
142 B. Comte. Tall; medium. Intense rich purplish crimson.

106 Brantome. Early. Well-formed flowers, grosseile red, violet center.

107 Czarina. Tall; late. Pure white, pyramidal spikes. 108 Candeur. Dwarf; early. Pure white.

109 Caran d'Ache. Dwarf; early. Rosy carmine, tinged with rose.
110 Champs-Elysees. Medium; early. Intense rich purple-crimson.

112 Coquelicot. Dwarf. Pure orange-scarlet with crimson eye.
114 Eclaireur. Tall; early. Crimson-purple, rosy white center, immense flowers.

115 Etna. Medium. Fine salmon-scarlet with dark crimson eye, a bright rich color.

154 Fiancee. Medium. Pure white. Large.

- 147 F. G. Von Lassburg. Tall. Pure white. Large individual flowers.
- 117 General Chanzy. Medium. Rich dark salmon.
- 118 Girondin. Medium; early. Dark carmine-rose, shading blush to the center.
- 119 Henri Murger. Medium. Large, pure white, large carmine center.
- 120 Independence. Tall; early. Pure white, large flowers. 123 James Galloway. Medium. Cherry-red.
- 124 La Vague. Medium; early. Silvery rose.
- 126 Le Mahdi. Medium. Round panicles, well-formed flowers of metallicviolet.
- 125 Lothair. Medium; early. Cerise-salmon with crimson eye. 127 Le Feu du Monde. Medium; late. Flame color.

- 128 Madame P. Langier. Medium; early. Salmon-pink, dark eye. 149 Miss Lingard (*P. Suffruticosa*). Tall; early. Fine, free-flowering, white. 129 Montagnard. Medium; medium. Dark red with purple eye. Large
- flowers, perfect form. 160 **0. Wittig.** Medium. Purple-crimson with carmine eye. Large flowers.
- 134 Ornament. Early; medium. Bright clear rose, very large panicles.
 135 Pantheon. Tall; medium. Very large flowers, rose, light center.
 136 R. P. Struthers. Tall; early. Bright salmon, crimson eye.

- 163 Selma. Tall; early. Delicate rose, distinct cherry-red eye. 158 Schlossgartner Reichnau. Dwarf; early. Solferino-red.
- 162 Sunshine. Medium; early. Bright red, crimson eye with light halo; large flower.
- 139 Thebaide. Dwarf; early. Pale rose.
- 140 T. H. Slocum. Medium: early. Vivid crimson, with dark eye.



Border of Hardy Phlox



Partial View of the Peony Exhibit at Andorra, 1908

HERBACEOUS PEONIES

In the long list of hardy herbaceous plants which are gaining in favor every year with the plant-loving world, none stand higher than the herbaceous Peony. The stately beauty of their bloom, in such an infinite variety of colors, makes them indispensable not only for the garden, but for decorative work of any character where flowers can be used. In the garden or border, when seen in masses against a background of dark foliage, they produce a magnificent effect; and in formal gardens where they can be bedded, they are unrivaled by any other garden plant. For house decoration, they are particularly effective, and it is well to note that many are deliciously fragrant.

Peonies are very hardy, and easily grown in any good garden soil; but it would be well to bear in mind that Peonies, being rank feeders, require a good soil to give the best results, and the greater your care and generosity in feeding them, the greater will be their returns. Peony beds should be mulched heavily each fall with well-rotted manure. In the spring, the coarse manure should be removed and the lighter material lightly forked into the top soil of the beds, care being taken in using the garden fork not to go too deep close to the plants, so as to injure the buds or the roots. When Peonies begin to form their buds, and from that until the flowers have matured, the plants should have an abundance of water.

TIME TO PLANT. While Peonies transplant best in August and September, they can also be moved safely in October and in the spring months, March or early April, before they commence growth. It is possible to move one-, two- or three-year-old plants in the spring, and secure bloom the first season.

From our extensive collection, we have made the following selections covering all colors and times of blooming, so that from this list a selection can be had to give bloom from early April until late in June. In considering the following list, we would ask you to bear in mind that we guarantee the varieties true to name. After years of

careful study, we believe they are strictly true to the introducer's descriptions. We stand ready to replace at any time plants that do not prove true to name and description, as chance may arise when a mixture would occur from causes beyond our control.

PRICES. The prices given in this list are for strong divisions, or one-year-old plants; and if any of the prices may seem high by comparison with other lists, remember our plants are guaranteed true to name and description, and are offered as low as satisfactory, trulynamed stock can be grown.

DOUBLE PEONIES

(Paonia Chinensis, syn. Albiflora)

10 per cer	—Most of these sorts can be supplied in quantity, at a discount of at in lots of 10 to 50, and at a discount of 20 per cent in lots of 50 a variety.
	Daci
325 Purpl	
313 Pink.	large, cup-shaped bloom, very full and fragrant
453 Red.	Atrosanguinea (Calot 1858). Purplish scarlet, shaded with blackish violet; large, semi-double bloom, showing golden stamens
519 Red.	Auguste Lemonier (Calot 1865). Blood-red, with deep ma-
319 11001	roon shading; large, full flower, anemone-shaped 75
478 Pink.	Beaute Française (Guerin 1850). Bright flesh-pink, spotted with purplish white and carmine, shading violet towards center; broad-petaled, open bloom, showing
C	golden stamens I 00
	son. Brennus (Kelway). Vivid crimson, semi-double 50
444 Pink.	Buyckii (Guerin 1840). Pink guard petals, distinct salmon center
445 Flesh	
472 Flesh	. Carnea maxima (Parmentier 1850). Lilac-flesh, large bloom 75 . Charlemagne (Crousse 1880). Flesh, shading to white,
4/2 1 10311	center lilac flesh-colored; full bloom, late 1 00
515 Pink.	Charles Binder (Guerin 1860). Deep, bright violet pink; bloom of excellent shape, fragrant
455 Carm	ine. Charles Verdier. Carmine flushed with bright violet; lilac
433 Carin	reflex; full bloom, bright and handsome; dwarf habit,
	free bloomer, late and fragrant
388 Pink.	Chateaubriant (Guerin 1852). Bright rose-pink, center
300 11114.	intermixed with salmon; good form
385 Rose.	Chinensis Rosea. Rose-pink, enormous bloom, late 50
464 Red.	Comte de Diesbach (Calot 1873). Purplish crimson, very
404 2000	full center; good bloomer; early 1 00
470 White	
4/- 111110	center petals sometimes bordered with carmine; the
	center showing a circle or crown of golden stamens;
	large, imbricated, ball-shaped bloom I 50
362 Crims	son. Delachei (Delache 1858). Deep purple-crimson, showing
3	golden stamens between the petals. Strong grower
	with good bloom. Late 50
446 Pink.	Docteur Bretoneau (Guerin 1850). Pink and lilac 75
510 Pink.	Duc de Cazes (Guerin 1850). Broad guard petals, lively
	carmine-pink; center petals, fimbriated, salmon-pink.
	Anemone-shaped bloom
	30

		E-	-1-
458	White.	Duchesse de Nemours (Calot 1856). Sulphur-white, with	.cn
		greenish reflex fading to pure white. Blooms cup-	
	Dinle	shaped, beautiful in bud. Late	50
451	Pink.	Duchesse d'Orleans (Guerin 1846). Deep carmine-pink, center soft pink and salmon, violet tinted. Large,	
_	X X 71 14	well-shaped bloom	75
363	White.	Duchesse de Thebas (Foulard 1856). Flesh-white guard petals, center creamy yellow, lightly edged with deep	
	**** *.	carmine. Fine bloom	75
505	White.	Duke of Wellington (Calot 1859). Guard petals white, center sulphur-white. Blooms large and well formed on	
	D	strong stems. Fragrant	75
522	Rose.	Edulis superba (Lemon 1824). Bright violet-rose, center petals intermixed with narrow white petals, silvery	
	T21 1-		5 0
330	Flesh.	Faust (Miellez 1855). Flesh, lilac tinted and shading to buff, center clear buff. Well-shaped bloom. Free	
		bloomer	75
514		Felix Crousse (Crousse 1881). Ball-shaped bloom of brilliant red, with ruby flame center	
FTT	White.	Festiva alba (Donkelær 1838). Glossy, clear white, some	50
711	vv inte.	petals spotted with carmine. Blooms large and cup-	
	White	shaped. Fragrant; habit dwarf. Medium late Festiva maxima (Miellez 1851). Pure snow-white, shading	50
425	White.	to creamy white at base of petal, some petals flaked with crimson-purple. Blooms extra large, of shell-	



Andorra's Double Peonies

shape, with broad petals. Early and fragrant. A variety of robust habit. \$1

each.

485 Pink. Floral Treasure (Rosenfield 1900). Clear pink, of delicate shade. Bloom of fine shape, very double and fragrant

75 cts. each.
336 Crimson. Francois
Ortegat (Parmentier
1850). Purplish
crimson, showing
golden yellow anthers. Large, semidouble bloom. 75c.
each.

311 Purple. Fulgida (Parmentier 1850). Deep crimson-purple. Semi-double, showing golden stamens. A bloom of rich color. 50 cts. each.

518 Violet. General Bertrand (Guerin 1846). Rosy violet, with salmon-pink center; large and showy. 50 cts. each.

		Eac	ch
354	White.	Globosa (English origin). Paper-white, blotched with	
		crimson. Large full bloom of pure white; very close	
		to P. Festiva maxima in habit of growth and color of	
E12	Red.	bloom, but blooms later\$1 c Grandiflora rubra. Blood-red; large bloom of extra color.	
504	Red.	Grandiflora rubra (Lee's). Rich violaceous red; enor-	50
304		mous blooms of good form. A strong grower; very	
		late I (ОО
447	Pink.	late	
		nink center	75
369	Carmine.	Insignis (Guerin 1850). Brilliant carmine. A bloom of	
		fine form and fragrant	75
	Purple.	Jussieu. Rich deep purple; flower of fine form	75
53	Flesh.	Lady Ann (Calot 1856). Flesh tinted silvery pink, guard	
		petals being flushed with lilac; center flesh-lilac tinted	
205	Rose.	and lilac tuft	75
303	Rose.	good size and substance, free bloomer and fragrant.	
			75
462	White.	Lady Darmouth (1850 Eng. Hort.). Pure white, center	/3
400		sometimes spotted with carmine. Well-shaped bloom;	
		early	00
460	Pearl.	La Tulipe (Calot 1872). Guard petals flesh-pink, shading	
		to ivory-white, outside of guard petals striped with	
		bright carmine, center petals deeper shade than guards	
		and striped with deep carmine. A vigorous grower,	
_		with large flowers on long stems	75
448	Rose.	L'Elegante (Guerin 1857). Bright rose with tricolor center,	
166	White.	a high-built bloom	75
400	willte.	violet-pink and sometimes blotched. Tall, robust	
			50
516	Cherry.	Louis Van Houtte (Calot 1867). Bright purplish cherry-	,,
	-	red; large, full, globular bloom; fragrant; late	50
517	Crimson.	Louis Van Houtte (Delache 1854). Dark violet-crimson;	
		very compact	50
324	Pink.	Marie Houillon (Calot 1869). Large satiny rose-pink. Very	
		good bloom. Late	50
479	White.	Marie Lemoine (Calot 1869). Sulphur-white, center petals	
		lightly edged with pink and chamois. An enormous	
	D' 1		50
329	Pink.	Mme. Chaumy (Calot 1864). Soft satiny rose-pink, shaded	
		with bright rose, clearer color on border of petals;	
4.0	Dim I-	center flesh	50
340	Pink.	context inted with closer culphus white cometimes	
		center tinted with glossy sulphur-white, sometimes with crimson stain; tufted	
216	Flesh.	Mme. Courante (Courante 1850). Rich flesh-color, with	75
310	r lesii.		
FOF	White.		50
323	vy mice.	Mme. de Verneville (Crousse 1885). Sulphur-white; very full bloom, well furnished, with broad guard petals	
		and very compact center. Beautiful and early 1	20
228	Rose.	Mme. Ducel (Mechin 1880). Salmon-rose, striped with	-
320	ACOBC.	silvery white. Large, globular, convex bloom; very	
		fine. Early. Dwarf	50
331	Cherry.	Mme. Lebon (Calot 1885). Brilliant cherry-red, with sil-	,
00-	T-10113.		75
			, ,

210	Pink.		la	ch
342	Tillk.	Mme.Pelissier (Foulard 1854). Pink guard petals, salmon- rose center. Very loose bloom showing seed-pods; fragrant		
343	White.	Mme. Vilmorin (Kelway). Guard petals blush white, center snow-white, flaked with crimson-purple; base)	75
		of petals sulphury white. Good form and habit, and a free bloomer		
488	Blush.	Mme. Vilmorin (Dessert). Very fresh, glossy flesh, unicolor. Flowers very double, with high center of broad		75
339 332	Rose. Carmine.	modeste. Guard petals purplish rose; rose center Modeste Guerin (Guerin 1845). Rosy carmine, purple tinted towards the center. A large, full globular		50 50
	Red.	bloom; fragrant. Early		75
303	reca.	double		50
513	Rose.	double Ne Plus Ultra (Miellez 1856). Bright, clear flesh-rose. Large, well-built bloom; free-flowering and fragrant.		50
314	Pink.	Octavie Demay (Calot 1867). Rich, soft, flesh-pink, with buff reflex, fading to pearly white, and shading deeper color to the center; full collar of petaloids, large full center, with traces of carmine stripes in the petals;		
315	Lilac.	dwarf, early and highly fragrant. A dainty variety Prince D'Orange. Rosy lilac with white reflex. A well-		
520	Purple.	Prince de Salm-Dyck (Guerin 1855). Dark, glossy lilac,		50
322	Scarlet.	chamois center, with lilac tuft; very distinct; late Prince Imperial (Calot 1859). Brilliant purplish scarlet; extra large bloom of good form		75 50
449	Crimson.	Prince Prosper d'Arenberg (Parmentier 1845). Bright amaranth crimson, showing golden stamens among the		50
326	White.	Queen Victoria (Eng. Hort. 1830). Broad guard petals of flesh-white, center soft yellow shading to salmon and fading to white; sometimes marked with carmine	١,	50
		spots; early		75
	Pink. Rose.	Rosa superbissima (1845). Clear pink, good form Rose Quintal (Calot 1857). Transparent carmine-rose,		50
		with salmon tintings; dwarf		35
501	Red.	vigorous grower and has been called the red Festiva		
404	Crimaon	maxima; large blooms; late	1	50
404	Cimison.	Rubra Triumphans (Delache 1854). Dark purplish crimson, showing golden stamens; strong-growing, broad-pet-		
		aled variety; semi-double		75
323	Rose.	aled variety; semi-double		50
327	Rose.	Sidonie (Miellez 1856). Lilac-rose, shading darker to the center		50
356 461	Rose. Sulphur.	Sosthenes (Kelway). Light rose edged with white Sulphuria (Lemon 1830). Broad guard petals of sulphurwhite, with compact round center delicate tinted,		75
357	Crimson.	dwarf and fragrant		
286	Tricolor	flower of extra form and color		00
300	1110101.	with salmon and pink. A high-built bloom; very fragrant. Free-flowering habit; late		50
		6		

75

			Each
457	Pink.	Van Dyck (Crousse 1879). Guard petals bright salmon-	
		pink, with lighter center. Very striking coloring.	
		Plant of good habit, with large convex, anemone-	
	Y 7' 1 4	shaped blooms in clusters	75
521	Violet.	Violacea (Verdier 1856). Deep purple-violet; blooms	
	D: 1	large and full; distinct color	50
407	Pink.	Virginie (Calot 1858). Fresh, soft pink, fading to pearly	
		rose and white. Bloom opens very wide, showing	
400	White.	golden stems, resembling a pond lily	1 50
400	winte.	cream-white center, center petals being very narrow	
		cream-write center, center petals being very narrow	50

UNNAMED PEONIES

The following are varieties from our original collection, of which the names were lost, and we therefore offer them under numbers. They are distinct sorts fully as good in form and color as many of the named varieties given above.

Each 396 Crimson. Medium grower, but full double bloom of rich crimson...\$0 35

350 Peach. Beautiful rosy chamois. We cannot guarantee name as it does not tally with introducer's description, i. e., bright deep red; but it is a beautiful variety, worthy of a place in any collection.

petals with the golden stamens in distinct circles between them. In form and growth, it strongly resembles Beaute Francaise but is much lighter. \$1.50 each.

SINGLE PEONIES

The single varieties have been much neglected in favor of the double sorts, but this should not be, as they are quite as showy, and as single specimens or for massing in the shrubberies they are unexcelled. The blooms, from 6 to 8 inches in diameter, are held well above the foliage on stems



Single Peony

sufficiently strong to hold them erect, even after heavy rains, when the double varieties droop to the ground. The flowers are of delicate texture and coloring, and if cut when in the bud, open well in the house, and are quite dainty and desirable, especially for table decoration. All have prominent golden stamens.

gol	den stame	ens.	Е	ach	1	0.1	10	0
	Pink. White.	Abrupolis. Clear pink				00	\$25	00
401	Purple.	Comus. A rounded bloom of light purple;		00	9	00		
401	- arpre	free-flowering		35	3	00		
400	Purple.	Eclat. Deep purple. A strong grower with		00				
	_	wide petals		35	3	00	25	00
	_	3-year-old clumps		50	12	50		
397	Rose.	Josephine. Bright rose; large loose flowers, with broad petals. A strong grower		=0		•		
200	Pink.	Larissa. Deep pink. Plant of good habit.		50	4	00		
399	I IIIK.	Tall		35	3	00	25	00
		3-year-old clumps	I	50	12	50	,	
395	Crimson.	Lucrinus. Medium-sized flowers of rich						
		crimson. Tall			4			
		3-year-old clumps	2	50	20	CO		
394	Crimson.	Mardonius. Bright crimson blooms of round form; very bright coloring. A dwarf,						
		compact grower		35			25	00
		3-year-old clumps	I	50	12	50		
392	Blush.	Medon. White. blushed with shell-pink. Deeper color than Bridesmaid; dwarf.	1	00	9	00		

VARIOUS SPECIES OF PEONIES

	Each	10	100
303 officinalis rubra plena. This is the very early deep			
crimson double variety that is so generally used			
by florists for cut-flowers in early April. It is the			
third species to bloom	50 50	\$4 00	\$35
304 officinalis rosea plena. Brilliant pink; a larger bloom			
than Officinalis rubra and quite as early. Scarce	I 00	9 00	
300 tenuifolia. A single bloom of deep maroon color. This variety has finely divided foliage, quite distinct from the other species. This is the earliest Peony			
to bloom	50	4 00	
301 tenuifolia plena. This is the double form of Tenuifolia described above. The bloom is of the same color, but the compactness of the bloom makes the color			
seem much deeper	50	4 00	

N. B.—While Peonies transplant best in August and September, they can also be moved safely in October and in the spring months, March or early April, before they commence growth. It is possible to move one-, two- or three-year-old plants in the spring, and secure bloom the first season. Our collection is large and we will gladly select assortments that will cover a full season of bloom.

HARDY CHRYSANTHEMUMS

TO the Iris of Spring and the Peony and Phlox of Summer must be added the Queen of Fall Flowers-the Chrysanthemums. For garden work the hardy pompon- and anemone-flowered varieties are the most desirable, as they are extremely hardy, requiring but a light covering of manure to protect them through our hardest winters. When once planted, they care for themselves and repay us with a profusion of bloom, of many forms and colors, during the fall months. The following list has been selected and retained from our collection of over one hundred varieties.

20 cts. each, \$1.50 per 10, \$10 per 100; or heavy stock for fall delivery, 25 cts. each, \$2 per 19, \$15 per 160

153 Aurore Boreale. Bronze and orange.

156 Blanche Colombe. Pale yellow; very dwarf.

157 Bob. Pink; dwarf.

161 Caraction. Deep rose.

166 Dupont de Leuve. Orange.

168 Eugenie Lanjaulet. Orange-vellow. 170 Fiberta. Canary-vellow; good habit.

171 Flora. Golden yellow; dwarf.

174 Fremy. Light brick-red, shaded yellow.
175 Globe d'Or. Canary-yellow, large flower; dwarf.
176 Golden Mlle. Marthe. Fine, bright golden yellow, a shade lighter than Westlake.

177 Golden St. Thias. Golden yellow. 178 Grace Darling. Lilac, blush center. 179 Harry Hicks. Soft pink, of good habit.

180 Julia Lagravere. Dark bronze. 184 Kyrie Bellew. Crimson and yellow.

189 La Purete. White. 194 Lune Fleurie. Orange-yellow; a small variety. 107 Maid of Kent. White.

208 Model of Perfection. A fine pure white.

214 Mrs. Vincent. Dark crimson.

219 Perle. Rose-lilac, pale rose disc. 222 Prince of Wales. White; excellent form.

224 Prince Victor. Dark maroon. 226 Regulus. Cinnamon.

228 Rosinante. Blush rose; dwarf grower. 229 Sir Michael. Yellow; anemone-flowered.

230 Soeur Melanie. Pure white.

231 St. Crout's. Light pink; small flowers; very free-blooming.

232 Strathneath. A distinct shade of rose-pink.

234 St. Illoria. Silvery pink. 236 Veuve Clicquot. Brick-red center, edged dark yellow. 240 William Sabey. Canary-yellow; a fine reflexed variety.

241 William Westlake. Rich golden yellow, suffused with a reddish tint.

OLD-TIME LARGE-FLOWERED SORTS

Louden. Purple. Old Homestead. Pink. Stenton. Yellow. Clivden. White.

AWord About Prices

In considering our prices, and comparing them with other offers

REMEMBER

the lowest-priced plants are not always the cheapest, because "cheapness does not consist of what you pay, but what you get for what you pay," —and that substantial

ANDORRA-GROWN PLANTS

produce immediate effects and save valuable time, which is of more importance than the slight difference, if any, in the cost. We want you to remember that our plants

GIVE RESULTS